



AURALIS PENDANT (ACOUSTIC COLLECTION)

Auralis Acoustic Ring Drum Light is a versatile architectural pendant fixture designed to combine direct illumination with acoustic comfort. Its clean circular drum form creates a bold yet refined ceiling feature, making it suitable for modern offices, hospitality interiors, lounges, meeting rooms, reception areas, and open-plan spaces.

Available in diameters from 2 ft to 16.5 ft, the fixture offers strong design flexibility for both small and large-scale applications. For diameters larger than 5 ft, the ring is delivered in sections with joiners for easier transport and installation. The fixture is suspended directly from the ceiling and comes with a standard 5 ft / 1.5 m safety cable, with custom cable lengths available on request.





MATERIAL:

Aluminum, PC, Polyester fiber

LIGHTING:

LED

WARRANTY:

5 years

MAIN FEATURES:

Flexible MOQ.

ETL listed, 5 years warranty.

No dark area, soft and even light distribution.

Good for use in hotel, office, shopping mall, public building, etc.

The packaging has passed strict tests which is suitable for air shipping.

Packing with single piece per carton is good fit for stock, bulk pack is suitable for ordering per project.

CRI:

>90

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS


Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-AUP-NS-SP-24-30K-R9011-NON

BY-AUP-NS-
SP-24-30K-
R9011-NON

1 INSTALLATION TYPE:

-SP Suspended

Suspended with 1.5m suspension safety cable

2 MODELS:

For 40W option

-24

Diameter -Ø: 24.4" (62 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-48

Diameter -Ø: 24.4" (62 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-55

Diameter -Ø: 24.4" (62 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 50W option

-92

Diameter -Ø: 36.6" (92 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-12

Diameter -Ø: 36.6" (92 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-14

Diameter -Ø: 36.6" (92 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 80W option

-122

Diameter -Ø: 48" (122 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-14

Diameter -Ø: 48" (122 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-85

Diameter -Ø: 48" (122 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 100W option

-29

Diameter -Ø: 59.8" (152 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-21

Diameter -Ø: 59.8" (152 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-41

Diameter -Ø: 59.8" (152 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS


Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-AUP-NS-SP-24-30K-R9011-NON

BY-AUP-NS-

SP-24-30K-

R9011-NON

2

MODELS:

For 120W option

-20

Diameter - Ø: 79.5" (202 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-22

Diameter - Ø: 79.5" (202 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-79

Diameter - Ø: 79.5" (202 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 160W option

-16

Diameter - Ø: 95.3" (242 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-17

Diameter - Ø: 95.3" (242 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-18

Diameter - Ø: 95.3" (242 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 200W option

-19

Diameter -Ø: 166.1" (422 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-30

Diameter -Ø: 166.1" (422 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-31

Diameter -Ø: 166.1" (422 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 300W option

-36

Diameter -Ø: 197.6" (502 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-37

Diameter -Ø: 197.6" (502 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-38

Diameter -Ø: 197.6" (502 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

For 400W option

-66

Diameter -Ø: 197.6" (502 cm)

Width- W: 4" (10 cm)

Hight - H: 4.8" (12 cm)

-67

Diameter -Ø: 197.6" (502 cm)

Width- W: 4.8" (12 cm)

Hight - H: 4.8" (12 cm)

-68

Diameter -Ø: 197.6" (502 cm)

Width- W: 5.5" (14 cm)

Hight - H: 4.8" (12 cm)

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-AUP-NS-SP-24-30K-R9011-NON

BY-AUP-NS-
SP-24-30K-
R9011-NON

3 LIGHT SOURCE:

VOLTAGE: 110-277V

LED/40W OR 50W OR 80W OR 100W OR 120W OR
160W OR 200W OR 300W OR 400W/ 85lm/W

4 CCT OPTIONS:

-30K 3000K

-35K 3500K

-40K 4000K

5 FINISH OPTIONS:

STANDARD FINISHES

-R9011 RAL 9011

-R9010 RAL 9010

CUSTOM FINISHES

-R9016 RAL 9016

-R5017 RAL 5017

-R7021 RAL 7021

-R6021 RAL 6021

-R3028 RAL 3028

-R1021 RAL 1021

-R1027 RAL 1027

-R6027 RAL 6027

-R9006 RAL 9006

-R6002 RAL 6002

-ERCH EUROPEAN CHERRY

-LIGOA LIGHT OAK

-MAPL MAPLE

-PALS PALISANDER SANTOS

-AMCW AMERICAN WALNUT

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-AUP-NS-SP-24-30K-R9011-NON

BY-AUP-NS-
SP-24-30K-
R9011-NON

6

DIMMING OPTIONS:

-DIM 0-10V DIMMABLE
-NON ON/OFF NON DIMMABLE

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.