



## FRUIT OUT (ACOUSTIC COLLECTION)

Fruit Out features an elegant illuminated outer ring paired with an acoustic center panel, creating a distinctive floating appearance. The fixture delivers smooth ambient lighting while reducing unwanted noise in open spaces. Offered in suspended or surface-mounted configurations, it provides flexibility for a variety of architectural applications. Multiple sizes and acoustic color options make it an ideal solution for contemporary commercial interiors.





MATERIAL:

Aluminum, pc,polyester fiber

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

IP44

APPLIANCE CLASS:

I

EFFICIENCY:

70m/w

PF:

≥0.9

CRI:

≥80

LIGHTING DISTRIBUTION:

300°

WARRANTY:

5 years

MAIN FEATURES:

Excellent sound absorption and noise reduction effect

Uniform light distribution

|           |
|-----------|
| PROJECT   |
| SPEC TYPE |
| NOTES     |



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
 1 877-964-4646  
 Updated 06/11/2026

HOW TO ORDER:

Example:

CODE: BY-FRTOT-NS-OT-SM-LL0126SAC-32W-K30-WH-DIM-AC-001141

BY-FRTOT-NS-OT-SM-LL0126SAC-32W-K30-WH-DIM-AC-001141

1

LIGHT DISTRIBUTION:

-OT

Out



2

INSTALLATION TYPE:

-SM

Surface Mounted

-SP

Suspended

Central canopy suspended with 5ft(1.5m) aircraft cable&power cables

3

MODELS:

-LL0126SAC-32W

Diameter -

Ø: 23.62" (60 cm)

Width -

W: 1.38" (3.5 cm)

Height -

H: 1.26" (3.2 cm)

LIGHT SOURCE:

LED / 32W / 110-277 V / CRI 80

-LL0126SAC-40W

Diameter -

Ø: 35.43" (90 cm)

Width -

W: 1.38" (3.5 cm)

Height -

H: 1.26" (3.2 cm)

LIGHT SOURCE:

LED / 40W / 110-277 V / CRI 80

-LL0126SAC-70W

Diameter -

Ø: 47.24" (120 cm)

Width -



W: 1.38" (3.5 cm)

Height -

H: 1.26" (3.2 cm)

LIGHT SOURCE:

LED / 70W / 110-277 V / CRI 80



PROJECT



SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



**HOW TO ORDER:**

Example:

CODE: BY-FRTOT-NS-OT-SM-LL0126SAC-32W-K30-WH-DIM-AC-001141

BY-FRTOT-NS-OT-SM-LL0126SAC-32W-K30-WH-DIM-AC-001141

**3 MODELS:**

**-LL0126SAC-80W**

Diameter - Ø: 59.05" (150 cm)

Width - W: 1.38" (3.5 cm)

Height - H: 1.26" (3.2 cm)

**LIGHT SOURCE:**

LED / 80W / 110-277 V / CRI 80

**4 CCT:**

**-K30** 3000K

**-K35** 3500K

**-K40** 4000K

**5 BODY COLOR:**

**-WH** White

**-BL** Black

**-CUS** Custom on request

**6 DIMMING OPTIONS:**

**-NON** Non-Dimmable

**-DIM** 1-10V

**7 ACOUSTIC FINISH OPTIONS:**

|            |   |            |   |            |   |
|------------|---|------------|---|------------|---|
| -AC-001141 | ● | -AC-012133 | ● | -AC-028110 | ● |
| -AC-002122 | ● | -AC-013111 | ● | -AC-033103 | ● |
| -AC-003120 | ● | -AC-014144 | ● | -AC-034102 | ● |
| -AC-004123 | ● | -AC-016104 | ● | -AC-035101 | ● |
| -AC-005107 | ● | -AC-017147 | ● | -AC-036105 | ● |
| -AC-006106 | ● | -AC-019126 | ● | -AC-038127 | ● |
| -AC-007145 | ● | -AC-020128 | ● | -AC-040124 | ● |
| -AC-008129 | ● | -AC-021130 | ● | -AC-043115 | ● |
| -AC-009140 | ● | -AC-024117 | ● | -AC-044114 | ● |
| -AC-011135 | ● | -AC-025138 | ● | -AC-039143 | ● |

PROJECT

SPEC TYPE

NOTES



**WE WELCOME ALL CUSTOM ORDERS**

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**Contact Us:**

sales@gordonbullard.com

www.byiba.com

1 877-964-4646