



LAS FLORES
beam up & down
(acoustic lighting)

BB-LSFL-AC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

Las Flores – Beam Up & Down by BYIBA is a suspended acoustic luminaire designed for high-quality lighting and noise reduction. It features a durable aluminum housing with a 0.47-inch polyester fiber acoustic panel in 30 colors. LED options range from 15-50W with CCT choices of 3000K, 3500K, and 4000K, offering CRI 80/90. Available in various sizes, it supports multiple dimming options (0-10V, DALI, Lutron, Casambi, Wi-Fi). Operating at -4°F to 104°F and compatible with 110-277V systems, it enhances lighting and acoustic comfort.

MATERIAL:

Aluminum body + Polyester fiber (0.47")

FINISHING:

30 acoustic felt colors

BODY FINISHING:

Matt White / Matt Black / Custom on request*

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

CANOPY:

Ø: 5" (12.7 cm) x H: 5" (12.7 cm)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-
PSUD-K30-80-
MB-DALI-
AC-004123

1

MODELS:

-PSUD (beam up & down)



DIMENSIONS:

A) Diameter - Ø: 23.6" (60 cm)

B) Height - H: 6.4" (16.2 cm)

LIGHT SOURCE:

LED / 40W / 2800 lm (direct) / 110-277V

LED / 25W / 1750 lm (indirect) / 110-277V

-PMUD (beam up & down)



DIMENSIONS:

A) Diameter - Ø: 35.4" (90 cm)

B) Height - H: 8.8" (22.2 cm)

LIGHT SOURCE:

LED / 50W / 3500 lm (direct) / 110-277V

LED / 30W / 2100 lm (indirect) / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com




www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-
PSUD-K30-80-
MB-DALI-
AC-004123

1

MODELS:

-PLUD (beam up & down)



DIMENSIONS:

A) Diameter - Ø: 23.6" (60 cm)
B) Height - H: 11.0" (27.7 cm)

LIGHT SOURCE:

LED / 80W / 5600 lm (direct) / 110-277V
LED / 40W / 2800 lm (indirect) / 110-277V

-PXLUD (beam up & down)



DIMENSIONS:

A) Diameter - Ø: 35.4" (90 cm)
B) Height - H: 13.1" (33.3 cm)

LIGHT SOURCE:

LED / 90W / 6300 lm (direct) / 110-277V
LED / 45W / 3150 lm (indirect) / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-
PSUD-K30-80-
MB-DALI-
AC-004123

2 SPECIFY CCT:

-K30 3000K
-K35 3500K
-K40 4000K

3 CRI:

-80 CRI 80
-90 CRI 90

4 BODY FINISH OPTIONS:

-MW Matt White
-MB Matt Black
-RAL Custom on request*

5 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

6 ACOUSTIC FINISH OPTIONS:

-AC-001141	-AC-012133	-AC-028110
-AC-002122	-AC-013111	-AC-033103
-AC-003120	-AC-014144	-AC-034102
-AC-004123	-AC-016104	-AC-035101
-AC-005107	-AC-017147	-AC-036105
-AC-006106	-AC-019126	-AC-038127
-AC-007145	-AC-020128	-AC-040124
-AC-008129	-AC-021130	-AC-043115
-AC-009140	-AC-024117	-AC-044114
-AC-011135	-AC-025138	-AC-039143
-AC-055142	-AC-056131	-AC-018125
-AC-057132	-AC-042146	-AC-022119
-AC-031108		

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-
PSUD-K30-80-
MB-DALI-
AC-004123

6

ACOUSTIC FINISH OPTIONS:


Acoustic wood texture

- | | | | |
|-------------|--|-------------|--|
| -AC-0450005 | | -AC-0490068 | |
| -AC-0460008 | | -AC-0501237 | |
| -AC-0470016 | | -AC-0511250 | |
| -AC-0481249 | | -AC-0521255 | |
| -AC-0539069 | | -AC-0549033 | |

7


PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:

Height	Center lx	Diameter
1.m	3254.54 lx	338.18cm
2.m	813.64 lx	676.36cm
3.m	361.62 lx	1014.54cm
4.m	203.41 lx	1352.73cm
5.m	130.18 lx	1690.91cm
6.m	90.40 lx	2029.09cm
7.m	66.42 lx	2367.27cm
8.m	50.85 lx	2705.45cm
9.m	40.18 lx	3043.63cm
10.m	32.55 lx	3381.82cm
11.m	26.90 lx	3720.00cm
12.m	22.60 lx	4058.18cm
13.m	19.26 lx	4396.36cm
14.m	16.60 lx	4734.54cm
15.m	14.46 lx	5072.72cm
16.m	12.71 lx	5410.91cm



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646