





SPIRAGLIO
(wall)

BY-2372B-PL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The SPIRAGLIO by BYIBA is a wall-recessed LED lamp made from CRISTALY®, featuring a sleek and innovative design with intersecting sheets that create an elegant light slit. Its upward light diffusion enhances ambiance, making it ideal for modern and sophisticated interiors. The fixture integrates a 13W LED light source with dimmable functionality and offers color temperature options of 2700K (1500 lm), 3000K (1600 lm), and 4000K (1700 lm), all with a high CRI of 90 for superior color accuracy. With a net weight of approximately 9.81 lbs, it is designed for recessed wall installation, requiring a 1.57" recess depth in plasterboard and a cut-out dimension of 18.31" x 12.01". The CRISTALY® surface is paintable for customization, and an optional housing box is available for brickwork installations. With an IP20 protection rating, this Italian-crafted luminaire combines durability, aesthetics, and energy-efficient LED technology.

MATERIAL:

CRISTALY®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277

IP RATING:

20

DRIVER POSITION:

Remote

INSULATION CLASS:

III

CRI:

CRI90

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-2372B-PL-K27-DIM

CODE:

BY-2372B-PL-
K27-DIM

1 DIMENSIONS:

A) Length L: 18.11" (46 cm)
B) Height - H: 11.81" (30 cm)

2 LIGHT SOURCE:

LED / 13W / 700mA / 110-277V

3 CCT and LUMENS:

-K27 2700K = 1500 lm
-K30 3000K = 1600 lm
-K40 4000K = 1700 lm

4 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

5 ACCESSORIES:



Housing Box
12.01" x 18.31" x 3.35"
13.19" x 19.49" x 3.74" - Hole

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646