



ORB (MODULAR CEILING SYSTEMS)

The Orb series combines elegant spherical pendants with the flexibility of the BYIBA modular ceiling system. Its soft diffused illumination creates a warm and inviting atmosphere, making it perfect for restaurants, lounges, offices, and residential spaces. The minimalist globe design adds a sculptural element while maintaining a clean architectural appearance. Available in multiple sizes and finishes, Orb easily adapts to a wide range of interior concepts.





MATERIAL:

Aluminium + Metal + PC

LIGHTING:

LED: Osram SMD

VOLTAGE:

DC48V

IP RATING:

IP20

CRI:

CRI 90

APPLIANCE CLASS:

I

WARRANTY:

3 years

MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:
Example:
CODE: BY-ORB-OS-O1-K30-RG-DIM

BY-ORB-OS-K30-
RG-DIM

1 MODELS:

-O1

Diameter - Ø: 4.72" (12 cm)
Height - H: 6.69" (17 cm)

-O2

Diameter - Ø: 4.72" (12 cm)
Height - H: 23.62" (60 cm)

2 LIGHT SOURCE:

LED / 5W / DC48V / CRI 90

3 BEAM ANGLE:

350°

4 CCT:

-K27 2700K
-K30 3000K
-K35 3500K
-K40 4000K

5 FINISH OPTIONS:

-RG Rose Gold -BB Brushed Brass
-MW Matte White -BN Brushed Nickel
-MB Matte Black -CUS Custom on request

6 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-NON Non-Dimmable



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 07/08/2026