




CHUP (10MM MAGNETIC TRACK SYSTEM)

The CHUP spotlight combines minimalist design with precise directional lighting for accent and task illumination. Fully compatible with the 10mm magnetic track system, it can be repositioned effortlessly to adapt to changing layouts. The adjustable head allows light to be aimed exactly where it is needed, making it perfect for highlighting artwork, displays, or architectural details. Its compact form and premium finish blend seamlessly into contemporary interiors.





MATERIAL:

Extruded Aluminum Housing
High-conductivity Copper Conductors
Polycarbonate (PC) Insulator

LIGHTING:

LED

VOLTAGE:

24V DC/48V DC

IP RATING:

IP20

CRI:

CRI 90

APPLIANCE CLASS:

I

WARRANTY:

3 years

MAIN FEATURES:

High visual comfort
Wide range of finishes
Functional design
Minimal design

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS




Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-CHP-MJ-TL3-B1-K30-DIM-PCBL

BY-CHP-MJ-TL3-
B1-K30-DIM-
PCBL

1 MODELS:

-TL3

Diameter - Ø: 1.02" (2.6 cm)

Hight - H: 1.89" (4.8 cm)

LIGHT SOURCE:

LED / 3W / 24V DC/ 48V DC / CRI 90

-TL5

Diameter - Ø: 1.38" (3.5 cm)

Hight - H: 2.28" (5.8 cm)

LIGHT SOURCE:

LED / 5W / 24V DC/ 48V DC / CRI 90

-TL7

Diameter - Ø: 1.77" (4.5 cm)

Hight - H: 2.68" (6.8 cm)

LIGHT SOURCE:

LED / 7W / 24V DC/ 48V DC / CRI 90

-TL10

Diameter - Ø: 1.77" (4.5 cm)

Hight - H: 2.99" (7.6 cm)

LIGHT SOURCE:

LED / 10W / 24V DC/ 48V DC / CRI 90

2 BEAM ANGLE:

-B1 15°

-B2 24°

-B3 36°

3 CCT:

-K27 2700K

-K30 3000K

-K40 4000K

-K60 6000K

-KK 2700-6500K

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE




Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 07/14/2026



HOW TO ORDER:

Example:

CODE: BY-CHP-MJ-TL3-B1-K30-DIM-PCBL

BY-CHP-MJ-TL3-
B1-K30-DIM-
PCBL

4

DIMMING OPTIONS:

- DIM 0-10V
- DALI DALI
- NON Non-Dimmable

5

FINISH OPTIONS:

- PCBL Powder-Coated Black
- PCWH Powder-Coated White (optional)
- CUS Custom on request

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646