



SCUBO COLLECTION (OUTDOOR WALL/CEILING LIGHTING)

The SCUBO Collection explores pure geometric design through a series of minimalist cubic luminaires that create striking architectural lighting effects. Each model features integrated LED technology and carefully engineered light distribution, producing distinctive beams that enhance walls, ceilings, and surrounding surfaces. Available in multiple sizes and configurations, the collection offers versatile solutions for both residential and commercial environments while maintaining a consistent sculptural aesthetic. With its clean lines, refined materials, and interplay of light and shadow, the SCUBO Collection transforms illumination into a sophisticated design element.



		MATERIAL: BETALY® LIGHTING: LED VOLTAGE: 110-277V IP RATING: IP65 APPLIANCE CLASS: II/III DRIVER POSITION: Remote WARRANTY: 5 years MAIN FEATURES: High visual comfort Wide range of finishes Functional design Minimal design Operating Temperature: -40°~ +60°
PROJECT		
SPEC TYPE		
NOTES		

LED

110-277V

IP65

CASAMBI

LUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:


sales@gordonbullard.com

www.byiba.com


1 877-964-4646

Updated 06/11/2026

5.91"
(15 cm)




5.91"
(15 cm)




5.91"
(15 cm)

5.91"
(15 cm)



5.91"
(15 cm)



5.91"
(15 cm)

HOW TO ORDER:

Example:

CODE: BY-1092-9010-S-K22-DIM-396

BY-1092-9010-S-
K22-DIM-396

1

MODELS:

-S

DIMENSIONS:

Height - H: 5.91" (15 cm)
Length - L: 5.91" (15 cm)
Width - W: 5.91" (15 cm)

LIGHT SOURCE:

LED / 11W / 110-277V / CRI 80

CCT&LUMENS:

-K22 2200K = 1440 lm
-K27 2700K = 1520 lm
-K30 3000K = 1600 lm

-SC

DIMENSIONS:

Height - H: 5.91" (15 cm)
Length - L: 5.91" (15 cm)
Width - W: 5.91" (15 cm)

LIGHT SOURCE:

LED / 5.5W / 110-277V / CRI 80

CCT&LUMENS:

-K22 2200K = 720 lm
-K27 2700K = 760 lm
-K30 3000K = 800 lm

-SCF

DIMENSIONS:

Height - H: 1.57" (4 cm)
Length - L: 5.91" (15 cm)

LIGHT SOURCE:

LED / 4W / 110-277V / CRI 80

CCT&LUMENS:

-K22 2200K = 570 lm
-K27 2700K = 600 lm
-K30 3000K = 630 lm



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646


HOW TO ORDER:

Example:

CODE: BY-1092-9010-S-K22-DIM-396


BY-1092-9010-S-
K22-DIM-396

1.57"
(4 cm)




5.91"
(15 cm)

4.33"
(11 cm)



4.33"
(11 cm)



4.33"
(11 cm)

1 MODELS:

-SCS

DIMENSIONS:

Height - H: 4.33" (11 cm)

Length - L: 4.33" (11 cm)

Width - W: 4.33" (11 cm)

LIGHT SOURCE:

LED / 4W / 110-277V / CRI 80

CCT&LUMENS:

-K22 2200K = 570 lm

-K27 2700K = 600 lm

-K30 3000K = 630 lm

2 DIMMING OPTIONS:

-DIM 0-10V

-DALI DALI

-LT Lutron

-CAS Casambi

-NON Non-Dimmable

3 FINISH OPTIONS:

-392 White

-393 Green

-394 Corten

-395 Grey

-396 Black

-397 Sand



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026