





ERIDA CEM
(wall)

BY-2455-PL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The BYIBA Erida Cem (BY-2455-PL) wall lamp fuses sculptural minimalism with warm illumination, its crescent-inspired hollow form gently diffusing light to create an elegant, ambient glow. Crafted in BYIBA's signature CONCRETE Indoor material, it brings a sophisticated textural presence to modern interiors. Designed for architectural harmony, its soft indirect light complements living rooms, hallways, or boutique spaces.

MATERIAL:

CONCRETE® / Glass diffuser

FINISHING:

GREY / Paintable

LIGHTING:

LED / E26

INPUT VOLTAGE:

110-277V

IP RATING:

IP20

DRIVER POSITION:

Remote

INSULATION CLASS:

II

WEIGHT:

4.41 lb

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com


1 877-964-4646

PROJECT

SPEC TYPE

NOTES

12.20" (43.5 cm)



2.56"
(7 cm)



8.46" (16 cm)



HOW TO ORDER:

CODE:

Example:

CODE: BY-2455-PL-LED-K27-DIM

BY-2455-PL-
LED-K27-DIM

1 DIMENSIONS:

- A) Height - H: 2.56" (7 cm)
- B) Length - L: 12.20" (43.5 cm)
- C) Depth - P: 8.46" (16 cm)

2 LIGHT SOURCE:

- L1 LED / 18W / 110-277V / CRI 85
- L2 LED / 12W / 110-277V / CRI 85
- E26 E26 / max. 52W / 110-277V

3 CCT & LUMENS: (available only for LED)

- K27 2700K = 2550 lm
 - K30 3000K = 2700 lm
 - K40 4000K = 2850 lm
- FOR L1 MODEL
- KK27 2700K = 1700 lm
 - KK30 3000K = 1800 lm
 - KK40 4000K = 1900 lm
- FOR L2 MODEL

4 DIMMING OPTIONS: (available only for LED)

- DIM 0-10V
- DALI DALI
- LT Lutron
- CS Casambi
- WF WI-FI
- NON Non-Dimmable

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646