



0.25"(0.6 CM) MAGNETIC TRACK (6MM MAGNETIC TRACK SYSTEM)

The 6 mm Magnetic Track is a sleek, ultra-slim lighting system designed to provide maximum flexibility with a clean architectural appearance. Its minimalist profile integrates seamlessly into modern residential, hospitality, retail, and commercial interiors while allowing luminaires to be easily added, removed, or repositioned without tools. The modular design supports a wide range of compatible lighting fixtures and accessories, making it simple to create customized lighting layouts for any space.





MATERIAL:

Extruded aluminum
Powder-coated finish

WARRANTY:

5 years

ABOUT TRACK:

Ultra-slim 6 mm magnetic track with a minimalist architectural design.

Available in recessed, trimless (plaster-in), and surface-mounted installation options.

Magnetic mounting allows quick installation and effortless repositioning of fixtures.

Modular system supports straight runs, corners, connectors, power feeds, and custom layouts.

Compatible with spotlights, linear lights, grille lights, floodlights, pendants, and decorative luminaires.

Ideal for residential, retail, hospitality, offices, galleries, and commercial environments.

Clean aluminum construction with premium black finish for long-lasting durability.

Creates seamless continuous lighting while maintaining a refined, modern aesthetic.

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

HOW TO ORDER:

Example:

CODE: BY-6TR-MJ-RT-CUP-B05-D01


BY-6TR-MJ-RT- CUP -

B05-D01

1

MODELS:

RECESSED TRACK



-RT

Dimensions:

Track notching:

Length -

Width -

Hight -

L: 39.37"(100 cm)


W: 1.57" (4 cm)

H: 0.79" (2 cm)

W: 0.47" (1.2 cm)

H: 0.39" (1 cm)

FLANGED RECESSED TRACK



-FRT

Dimensions:

Track notching:

Length -

Width -

Hight -

L: 39.37"(100 cm)


W: 1.57" (4 cm)

H: 0.79" (2 cm)

Ø: 1.57" (4 cm)

H: 0.79" (2 cm)

SURFACE-MOUNTED TRACK



-SMT

Dimensions:

Length -

Width -

Hight -

L: 39.37"(100 cm)

W: 0.47" (1.2 cm)

H: 0.79" (2 cm)



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

HOW TO ORDER:

Example:

CODE: BY-6TR-MJ-RT-CUP-B05-D01

BY-6TR-MJ-RT-CUP-B05-D01

2

TRACK HEADS:

-STCK

STICK




-ERNG

ERING



-CLE

CYLE



-CUP

CUPE



-PLT

PLAT




-BNO

BINO



-STRO

STERIO



*For detailed information see our specsheets for each head



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

HOW TO ORDER:

Example:

CODE: BY-6TR-MJ-RT-CUP-B05-D01

BY-6TR-MJ-RT-CUP-B05-D01

3

ACESSORIES:

-B01

Directly connected module



LxWxH: 12.1x0.6x1.4cm

-B02

Directly connected module



LxWxH: 12.1x0.6x1.4cm

-B03


Track connector



LxW: 5.5x1.15cm

-B04

Vertical transfer module



LxWxH: 10.5x0.6x1.4cm

-B05

Horizontal switching module



LxWxH: 10.5x0.6x1.4cm

-B06

Vertical transfer



LxWxH: 7.5x4x2cm

-B07

Horizontal transfer



LxWxH: 7.5x4x2cm

-B08


Distribution vertical transfer



LxWxH: 7.5x4x2cm

-B09

Distribution horizontal transfer



LxWxH: 7.5x4x2cm

-B10

Vertical transfer of the model



LxWxH: 7.5x1.2x2cm

-B11

Surface mounted horizontal transfer



LxWxH: 7.5x1.2x2cm

-D01

Integrated power supply



LxH: 12.1x3.8cm



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.