




The Hexa Drum Acoustic Collection combines a bold geometric profile with efficient LED illumination and integrated sound absorption. Constructed from aluminum, polycarbonate, and polyester fiber, the fixture features a clean hexagonal form that adds architectural character while helping reduce unwanted noise and reverberation. Its uniform 120° light distribution provides comfortable general illumination, making it especially suitable for conference rooms, offices, lobbies, hospitality spaces, and other contemporary interiors. Available in 25W and 40W models with multiple height options, the Hexa Drum can be installed as either a suspended pendant or a surface-mounted fixture. It delivers up to 85 lm/W, CRI 90+, a power factor of at least 0.9, and operates on 110–277V.



HEXA DRUM (ACOUSTIC COLLECTION)





MATERIAL:

Aluminum, PC, polyester fiber

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

IP44

APPLIANCE CLASS:

I

EFFICIENCY:

85lm/w

PF:

≥0.9

CRI:

≥90

LIGHTING DISTRIBUTION:

120°

WARRANTY:

5 years

MAIN FEATURES:

Excellent sound absorption and noise reduction efect

Uniform light distribution

PROJECT

SPEC TYPE

NOTES

LED

110-277V

IP44

STANDARD

CASAMBI

LUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-HEDX-NS-DN-SM-25W-H30-K30-WH-NON-AC-001141

BY-HEDX-NS-DN-

SM-25W-H30-K30-

WH-NON-AC-001141

1

LIGHT DISTRIBUTION:

-DN

Down

2

INSTALLATION TYPE:

-SM

Surface Mounted

-SP

Suspended

5ft (1.5m) aircraft cable&power cables going to ceiling straight

3

MODELS:

-25W

-H30

Height -

H: 12" (30 cm)

-H60

Height -

H: 24" (60 cm)

-H90

Height -

H: 36" (90 cm)

-H120

Height -

H: 48" (120 cm)

Length L: 18.9" (48 cm)

Width - W: 16.4" (41.6 cm)

LIGHT SOURCE:

LED /25W / 110-277 V / CRI 90

-40W

-H30

Height -

H: 12" (30 cm)

-H60

Height -

H: 24" (60 cm)

-H90

Height -

H: 36" (90 cm)

-H120

Height -

H: 48" (120 cm)

Length L: 23.6" (60 cm)

Width - W: 20.5" (52 cm)

LIGHT SOURCE:

LED /40W / 110-277 V / CRI 90



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-HEDX-NS-DN-SM-25W-H30-K30-WH-NON-AC-001141

BY-HEDX-NS-DN-SM-25W-H30-K30-WH-NON-AC-001141

3

MODELS:

-90W

-H30

Height -

H: 12" (30 cm)

-H60

Height -

H: 24" (60 cm)

-H90

Height -

H: 36" (90 cm)

-H120

Height -

H: 48" (120 cm)

Length L: 35.4" (90 cm)

Width - W: 30.7" (78 cm)

LIGHT SOURCE:

LED /90W / 110-277 V / CRI 90

-180W

-H30

Height -

H: 12" (30 cm)

-H60

Height -

H: 24" (60 cm)

-H90

Height -

H: 36" (90 cm)

-H120

Height -

H: 48" (120 cm)

Length L: 47.2" (120 cm)

Width - W: 40.9" (104 cm)

LIGHT SOURCE:

LED /180W / 110-277 V / CRI 90

4

CCT:

-K30 3000K

-K35 3500K

-K40 4000K

5

BODY COLOR:

-WH White

-CUS Custom on request

6

DIMMING OPTIONS:

-NON Non-Dimmable

-DIM 1-10V



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



HOW TO ORDER:

Example:

CODE: BY-HEDX-NS-DN-SM-25W-H30-K30-WH-NON-AC-001141

BY-HEDX-NS-DN-SM-25W-H30-K30-WH-NON-AC-001141

7

ACOUSTIC FINISH OPTIONS:

-AC-001141		-AC-012133		-AC-028110	
-AC-002122		-AC-013111		-AC-033103	
-AC-003120		-AC-014144		-AC-034102	
-AC-004123		-AC-016104		-AC-035101	
-AC-005107		-AC-017147		-AC-036105	
-AC-006106		-AC-019126		-AC-038127	
-AC-007145		-AC-020128		-AC-040124	
-AC-008129		-AC-021130		-AC-043115	
-AC-009140		-AC-024117		-AC-044114	
-AC-011135		-AC-025138		-AC-039143	

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.