




PANDORA (NON-MAGNETIC TRACK SYSTEM)

PANDORA is a compact linear wall-wash fixture designed for non-magnetic track systems. Its recessed light source and precision reflector produce comfortable, controlled illumination with reduced glare. The adjustable body allows the beam to be directed toward walls, artwork, merchandise, or architectural details. Its clean geometric form makes it ideal for residential, retail, hospitality, and gallery interiors.



	
PROJECT	
SPEC TYPE	
NOTES	

MATERIAL:

Powder Coated Aluminium

LIGHTING:

LED

VOLTAGE:

110-277V - 50-60Hz

SDCM:

SDCM ≤3

CRI:

CRI 80 / CRI 90

REFLECTOR:

PC cover

DRIVER POSITION:

In-track / Integral

WARRANTY:

5 years

MAIN FEATURES:

50 000 hours at 25 °C

Wide range of Interchangeable accessories.

LED

110-277V

CRI 80/90
SELECTABLE

SDCM 3
COLOR CONSISTENCY

50,000 HRS

TRACK FIXED MOUNT

WIRELESS CONTROL

SCREW-LESS DESIGN



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE


Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 08/31/2026



HOW TO ORDER:

Example:

CODE: BY-PND-RT-C80-K30-B1-WH-DIM

1 DIMENSIONS:

Height - H: 3.15" (8 cm)
Length - L: 6.30" (16 cm)
Width - W: 3.27" (8.3 cm)

2 LIGHT SOURCE:

LED / input - 20W output 18W / 110-277V - 50-60Hz / 1079lm

3 CRI:

-C80 CRI 80
-C90 CRI 90

4 CCT:

-K30 3000K
-K40 4000K

5 BEAM ANGLE:

-B1 68.3 °
-B2 91.9 °

6 FINISH OPTIONS:

-WH White
-BL Black

7 DIMMING INTERFACE:

-DIM 0-10V
-TRIAC Phase Dimming (Triac / ELV)
-DALI DALI
-Wi-Fi Wireless control (per driver ordered)

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.