




The SKY is a versatile acoustic lighting fixture that seamlessly blends high-performance illumination with sound-absorbing properties. Available in both pendant and surface-mounted options, it features a durable aluminum body with a 0.47" polyester fiber acoustic panel in 30 color choices. Designed for modern interiors in two shapes, it offers LED light sources from 15W to 50W with CCT options of 3000K, 3500K, and 4000K, along with CRI choices of 80 or 90 for superior color rendering. Customizable with various dimming options (0-10V, DALI, Lutron, Casambi, Wi-Fi, or non-dimmable), it is available in multiple sizes, ensuring flexibility for different spaces.



SKY (ACOUSTIC COLLECTION)





MATERIAL:

Aluminum+PMMA+polyester fibe

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

IP44

APPLIANCE CLASS:

I

EFFICIENCY:

85lm/w

PF:

≥0.9

CRI:

≥90

LIGHTING DISTRIBUTION:

160°

WARRANTY:

5 years

MAIN FEATURES:

Excellent sound absorption and noise reduction effect

Uniform light distribution

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM





Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



HOW TO ORDER:

Example:
CODE: BY-SK-NS-I-SM-LL0201 SAC-15W-K30-WH-DIM-AC-001141

BY-SK-NS-I-SM-LL0201 SAC-15W-K30-WH-DIM-AC-001141

1 LIGHT DISTRIBUTION:

-I Indirect



2 INSTALLATION TYPE:

-SM Surface Mounted

-SP Suspended

Central canopy suspended with 5ft (1.5m) aircraft cables&power cables

3 MODELS:

-LL0201 SAC-15W Round

Diameter - Ø: 14.17" (36 cm)

Height - H: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 15W / 110-277 V / CRI 90

-LL0201 SAC-25W

Diameter - Ø: 15.7" (45 cm)

Height - H: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 25W / 110-277 V / CRI 90

-LL0201 SAC-36W

Diameter - Ø: 23.6" (60 cm)

Height - H: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 36W / 110-277 V / CRI 90

-LL0201 SAC-50W

Diameter - Ø: 31.50" (80 cm)

Height - H: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 50W / 110-277 V / CRI 90

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE



Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-SK-NS-I-SM-LL0201 SAC-15W-K30-WH-DIM-AC-001141

BY-SK-NS-I-SM-
LL0201 SAC-15W-
K30-WH-DIM-
AC-001141

3 MODELS:

-LL0202SAC-15W Square

Length - L: 14.17" (36 cm)
Height - H: 14.17" (36 cm)
Width - W: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 15W / 110-277 V / CRI 90

-LL0202SAC-25W

Length - L: 15.7" (40 cm)
Height - H: 15.7" (40 cm)
Width - W: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 25W / 110-277 V / CRI 90

-LL0202SAC-36W

Length - L: 23.6" (60 cm)
Height - H: 23.6" (60 cm)
Width - W: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 36W / 110-277 V / CRI 90

-LL0201SAC-50W

Length - L: 31.50" (80 cm)
Height - H: 31.50" (80 cm)
Width - W: 3.46" (8.8 cm)

LIGHT SOURCE:

LED / 50W / 110-277 V / CRI 90

4 CCT:

-K30 3000K
-K35 3500K
-K40 4000K



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-SK-NS-I-SM-LL0201 SAC-15W-K30-WH-DIM-AC-001141

BY-SK-NS-I-SM-LL0201 SAC-15W-K30-WH-DIM-AC-001141

5 BODY COLOR:

- WH

White
- BL

Black
- CUS

Custom on request



6 DIMMING OPTIONS:

- NON

Non-Dimmable
- DIM

1-10V

7 ACOUSTIC FINISH OPTIONS:

- | | | | | | |
|------------|--|------------|--|------------|--|
| -AC-001141 | | -AC-012133 | | -AC-028110 | |
| -AC-002122 | | -AC-013111 | | -AC-033103 | |
| -AC-003120 | | -AC-014144 | | -AC-034102 | |
| -AC-004123 | | -AC-016104 | | -AC-035101 | |
| -AC-005107 | | -AC-017147 | | -AC-036105 | |
| -AC-006106 | | -AC-019126 | | -AC-038127 | |
| -AC-007145 | | -AC-020128 | | -AC-040124 | |
| -AC-008129 | | -AC-021130 | | -AC-043115 | |
| -AC-009140 | | -AC-024117 | | -AC-044114 | |
| -AC-011135 | | -AC-025138 | | -AC-039143 | |



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646