




TRACKS (LINEAR, RING, 1/2, 1/4, 1/8) (MODULAR CEILING SYSTEMS)

The Modular Track System is the foundation of a flexible architectural lighting solution, designed to support a wide variety of lighting modules and accessories. Its innovative threaded connection allows modules to be installed, repositioned, or replaced quickly without tools, making it easy to create customized lighting layouts. Available in straight, curved, ring, and custom configurations, the system adapts seamlessly to residential, hospitality, retail, and commercial interiors. Manufactured from premium aluminum with a clean minimalist profile, BYIBA track combines durability, versatility, and contemporary design.





MATERIAL:

Aluminium + Silicone

WARRANTY:

3 years

ABOUT TRACK:

Modular threaded track system

Premium aluminum construction

Straight, curved, ring, and custom track configurations

Tool-free installation and module replacement

Compatible with multiple lighting modules

Adjustable module positioning

48V DC low-voltage system

Suspended installation (rod or cable)

Minimalist architectural design

Available in multiple finishes

Suitable for residential, hospitality, retail, office, and commercial applications

Scalable system for custom lighting layouts

PROJECT



SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



HOW TO ORDER:

Example:
CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-
RG-SLH-FCS-HLO-
PH1-16R-H1-D1R-
H1R-CAP-TA1C-TA2C-
PCA-PCC

1

MODELS:

-LINE LINEAR

-100

Length - L: 39.37"(100 cm)
Width - W: 0.67"(1.7 cm)
Hight - H: 0.87"(2.2 cm)

-150

Length - L: 59.06"(150 cm)
Width - W: 0.67"(1.7 cm)
Hight - H: 0.87"(2.2 cm)

-200

Length - L: 78.74"(200 cm)
Width - W: 0.67"(1.7 cm)
Hight - H: 0.87"(2.2 cm)

-RIN RING

-60

Diameter - Ø: 23.62"(60 cm)
Hight - H: 1.89"(4.8 cm)

-80

Diameter - Ø: 31.50"(80 cm)
Hight - H: 1.89"(4.8 cm)

-100

Diameter - Ø: 39.37"(100 cm)
Hight - H: 1.89"(4.8 cm)



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

HOW TO ORDER:

Example:
CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-
RG-SLH-FCS-HLO-
PH1-16R-H1-D1R-
H1R-CAP-TA1C-TA2C-
PCA-PCC

1

MODELS:

-1/2

1/2

-60

Length - L: 23.62"(60 cm)

Width - W: 0.67"(1.7 cm)

Hight - H: 0.87"(2.2 cm)

-80

Length - L: 31.50"(80 cm)

Width - W: 0.67"(1.7 cm)

Hight - H: 0.87"(2.2 cm)

-100

Length - L: 39.37"(100 cm)

Width - W: 0.67"(1.7 cm)

Hight - H: 0.87"(2.2 cm)

-120

Length - L: 47.24"(120 cm)

Width - W: 0.67"(1.7 cm)

Hight - H: 0.87"(2.2 cm)

-1/4

1/4

-28

Length - L: 11.14" (28.3 cm)

Width - W: 2.32" (5.9 cm)

Hight - H: 0.87"(2.2 cm)

-42

Length - L: 16.73" (42.5 cm)

Width - W: 3.46" (8.8 cm)



Hight - H: 0.87"(2.2 cm)

-56

Length - L: 22.28" (56.6 cm)


Width - W: 4.65" (11.8 cm)

Hight - H: 0.87"(2.2 cm)



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



HOW TO ORDER:

Example:
CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-
RG-SLH-FCS-HLO-
PH1-16R-H1-D1R-
H1R-CAP-TA1C-TA2C-
PCA-PCC

1

MODELS:

-70

Length -

L: 27.83" (70.7 cm)

Width -

W: 5.79" (14.7 cm)

Hight -

H: 0.87"(2.2 cm)

-84

Length -

L: 33.43" (84.9 cm)

Width -

W: 6.93" (17.6 cm)

Hight -

H: 0.87"(2.2 cm)

-105

Length -

L: 41.61" (105.7 cm)

Width -

W: 8.66" (22 cm)

Hight -

H: 0.87"(2.2 cm)

-127

Length -

L: 50.12" (127.3 cm)

Width -

W: 10.39" (26.4 cm)

Hight -

H: 0.87"(2.2 cm)

-1/8

1/8

Length -

L: 45.20" (114.8 cm)

Width -

W: 4.49" (11.4 cm)

Hight -

H: 0.87"(2.2 cm)

2

FINISH OPTIONS:

-RG

Rose Gold

-MW

Matte White

-MB

Matte Black

-BB

Brushed Brass

-BN

Brushed Nickel

-CUS

Custom on request



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

HOW TO ORDER:

Example:

CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-RG-
SLH-FCS-HLO-PH1-16R-
H1-D1R-H1R-CAP-TA1C-
TA2C-PCA-PCC

3 TRACK HEADS:

-SLH SLASH



-GLW GLOW



-FCS FOCUS



-AUR AURA COLLECTION



-ORB ORB



-HLO HALO



-BLD BLADE



-PIN PIN



-FLX FLEX



-PVT PIVOT



**For detailed information see our specsheets for each head*



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 07/08/2026

HOW TO ORDER:


Example:

CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC


4 POWER HANGER:

-PH1-IN



-16R (Rod)	-36R	-76R	-150W (Wire)
L: 9.84" (25 cm)	9.84" (25 cm)	9.84" (25 cm)	9.84" (25 cm)
W: 2.36" (6 cm)	2.36" (6 cm)	2.36" (6 cm)	2.36" (6 cm)
H: 6.50" (16.5 cm)	14.37" (36.5 cm)	30.12" (76.5 cm)	59.06" (150 cm)


-PH2-OUT



-16R (Rod)	-36R	-76R	-150W (Wire)
Ø: 3.15" (8 cm)	3.15" (8 cm)	3.15" (8 cm)	3.15" (8 cm)
H: 6.50" (16.5 cm)	14.37" (36.5 cm)	30.12" (76.5 cm)	59.06" (150 cm)


5 HANGER:

-H1



Diameter - Ø: 1.50" (3.8 cm)			
Hight - H: 6.50" (16.5 cm)	-H1R	H: 11.89" (30.2 cm)	-H5R
H: 14.37" (36.5 cm)	-H2R	H: 27.64" (70.2 cm)	-H6R
H: 30.12" (76.5 cm)	-H3R	H: 59.06" (150 cm)	-H7W
H: 4.02" (10.2 cm)	-H4R		

-H2



Diameter - Ø: 0.94" (2.4 cm)	-D1R
Ø: 0.79" (2.0 cm)	-D2W
Hight - H: 3.74" (9.5 cm)	-H1R
H: 11.61" (29.5 cm)	-H2R
H: 27.36" (69.5 cm)	-H3R
H: 59.06" (150 cm)	-H4W



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.


HOW TO ORDER:

Example:


CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

5 HANGER:




Diameter	Hight
Ø: 1.50"	H: 10.24"




Diameter	Hight
Ø: 0.77"	H: 7.32"


6 HOLDER AND ACC:




End cap:
2.2x1.7x1.05cm
including 1 pcs steel sheet+
2 pcs screws+1 pcs end cap




Track A1 connector:
3.8x5.25cm
PC+Aluminium




Track A2 connector:
3.8x5.25cm
PC+Aluminium



Track B connector E:
3.8x8.2cm
PC+Aluminium



Power on connector A:
3.8x2.67x3.17cm
Aluminium



Power on connector C:
3.8x4.8cm
PC+Aluminium
Track&Track
connector(electricity
conduct)



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR TECHNICAL DECORATIVE

Contact Us:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 07/08/2026


HOW TO ORDER:

Example:

CODE: BY-TRK-OS-LINE-100-RG-SLH-FCS-HLO-PH1-16R-H1-D1R-H1R-CAP-TA1C-TA2C-PCA-PCC

BY-TRK-OS-LINE-100-RG-
SLH-FCS-HLO-PH1-16R-
H1-D1R-H1R-CAP-TA1C-
TA2C-PCA-PCC

7 EXAMPLES OF DIFFERENT SHAPES:



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 07/08/2026