BYİBA
LIGHT

BELT
(FLEXIBLE CONDUCTIVE TEXTILE BELT TRACK) (MODULAR CEILING SYSTEMS)






Belt is a modular lighting system built around a flexible conductive textile belt that supplies power to compatible light fixtures. Its distinctive design allows the belt to become part of the interior composition, creating straight runs, suspended curves, and vertical arrangements. A selection of compatible pendants, spotlights, and linear modules supports both decorative and functional lighting. Belt brings a coordinated architectural character to residential, hospitality, retail, and commercial spaces.



BYIBA
LIGHT

CODE:
BY-BLT-VL



PROJECT

SPEC TYPE

NOTES

MATERIAL

Fabric/Reinforced woven polyester; silicone-insulated conductive wires.

ELECTRICAL SYSTEM

24V DC;
24V/48V;
confirm the selected belt, feed and driver voltage before ordering.

CRI

CRI >90

PRODUCT OVERVIEW

Flexible conductive textile track with four silicone-insulated wires inside a reinforced woven polyester belt. Compatible light modules click/ connect along the belt.

Surface / Pendant. Configurable routes and soft curves; layout and terminations require approval.

Compatible spotlights, pendants, spheres/globes and linear fixtures. Module power, lumens and beam angles depend on the selected luminaire.

WARRANTY

3 years

STANDARD

WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM


OUTDOOR | TECHNICAL | DECORATIVE

Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 10/25/2026

BYIBA
LIGHT

CODE:
BY-BLT-VL



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: BY-BLT-VL-SM-4LB-CUS-BL-DIM-SDB-BS-BLD

1 INSTALLATION TYPE:

-SM	Surface mounted
-PD	Pendant
-RM	Recessed mounted

2 MODELS:

-3LB 3 line Belt

DIMENSION:

Width - W: 1.10″ (2.8 cm)
Thickness - Th: 0.08″ (0.2 cm)

-4LB 4 line Belt

DIMENSION:

Width - W: 1.10″ (2.8 cm)
Thickness - Th: 0.12″ (0.3 cm)

3 LENGTH:

-L1	L: 39.37″ (100 cm)
-L2	L: 78.74″ (200 cm)
-L3	L: 118.11″ (300 cm)
-CUS	L: custom / approved layout.

4 LIGHT SOURCE:

LED / max 200W

5 FINISH OPTIONS:

-BL	Black	-BG	Beige
-TR	Terra Red	-CUS	Custom on request
-GR	Green		

6 DIMMING OPTIONS:

-TR	Triac,	-TUYA	Tuya
-DIM	0/1–10V	-ZB	Zigbee
-DALI	DALI		

STANDARD

ETL LISTED c US

WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR | TECHNICAL | DECORATIVE

Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 10/25/2026

BYIBA LIGHT

CODE:
BY-BLT-VL

HOW TO ORDER:
Example:
CODE: BY-BLT-VL-SM-4LB-CUS-BL-DIM-SDB-BS-BLD

7 ACESSORIES:

-SDB Surface driver box
Ø: 9.84″ (25 cm)
Surface



-SPF Surface power feed
Ø: 3.15″ (8 cm)
Surface



-PF Build in power feed
Ø: 4.33″ (11 cm)
Recessed



-RPF Remote power feed
Surface




-BS Belt stand
-CBS Custom Belt stand
-FA Fasten anchor
-CW Counter weight
-CC Cable end cap
-DC Double end cap
-PC Pendant end cap



-LSK Lamp suspension kit
*3 meters support cable for pendant mounting a lamp(1pc)
*only Silver finish

-BSK Belt suspension kit
*3 meters support cable with belt stand for pendant mounting belt track (1pc)



8 HEADS:

-BLD BOULDER



-SQA SEQUOIA




-CPL CUPOLA



-SCT SCOUT



-MSDFFS MESA DIFFUSE



-MSCRSTL MESA CRYSTAL



-ACRN ACORN



-TTN TETON



-KIT KITE



-CRTR CRATER



STANDARD

ETL LISTED c US

WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR | TECHNICAL | DECORATIVE

Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 10/25/2026