



PICO-B (BY-PC-B-RL) is a compact round LED module that brings broad illumination to BYIBA's 17 mm track system. Its 5 cm diameter aluminum housing creates a discreet profile beneath shelves and within display furniture.

The 4W light source delivers 200 lumens at 3000K with a wide 113° beam. Operating on 24V DC with an external driver, PICO-B is available in black and anodized aluminum finishes.





PROJECT

SPEC TYPE

NOTES

MATERIAL:

Aluminum

LIGHTING:

LED: SMD

VOLTAGE:

24V DC

IP RATING:

IP20

APPLIANCE CLASS:

III

CRI:

CRI 80

DRIVER POSITION:

External

WARRANTY:

5 years

CERTIFICATES:

ETL Listed(UL 2108 and CSA C22.2 No. 9.0)




WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



Contact Us:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646



HOW TO ORDER:
 Example:
 CODE: BY-PC-B-RL-BL

1 DIMENSIONS:

Diameter - Ø: 1.97" (5 cm)
 Width - W: 0.59" (1.5 cm)
 Height - H: 1.14" (2.9 mm)
 Length - L: 2.36" (6 cm)

2 LIGHT SOURCE:

LED / 4W / 24V DC/ CRI 80 / 3000K /200 lm / 113°

3 FINISH OPTIONS:

-BL Black
 -AAL Anodized Alum.

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.