

BYIBA
LIGHT

DRUM ROUND


(acoustic lighting)



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Drum Round Acoustic Pendant combines lighting with exceptional acoustic performance, making it a versatile choice for various spaces. Constructed from 0.47" polyester fiber in 35 color options, it provides sound absorption while being non-toxic, hypoallergenic, and easy to disassemble. Now available in four sizes—Small (Ø 18.9" x H 11.8"), Medium (Ø 23.6" x H 23.6"), Large (Ø 35.4" x H 35.4"), and XL (Ø 47.2" x H 47.2")—the Drum accommodates LED light sources with CCT options of 3000K, 3500K, and 4000K, along with CRI choices of 80 or 90. Dimming options include non-dimmable and 0-10V, ensuring adaptability to various lighting needs. Additionally, a surface-mounted option is available, offering greater flexibility in installation.

MATERIAL:

Polyster fiber (0.47")

FINISHING:

30 acoustic felt colors

LIGHTING:

LED

LENS:

PC

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

CANOPY:

Ø: 5" (12.7 cm) x H: 5" (12.7 cm)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS




CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-DRM-AC-SP-30K-80-MW-DIM-AC-001141

CODE:

BY-DRM-AC-
SP-30K-80-MW-
DIM-AC-001141

1 INSTALLATIONS TYPE

-SP Suspended
-SM Surface - Mounted

2 MODELS:

-S

DIMENSIONS:

A) Diameter - Ø: 18.9" (48 cm)
B) Height - H: 11.8" (30 cm)

LIGHT SOURCE:

LED / 25W / 2,125 lm / 110-277V

-M

DIMENSIONS:

A) Diameter - Ø: 23.6" (60 cm)
B) Height - H: 23.6" (60 cm)

LIGHT SOURCE:

LED / 40W / 3,400 lm / 110-277V

-L

DIMENSIONS:

A) Diameter - Ø: 35.4" (90 cm)
B) Height - H: 35.4" (90 cm)

LIGHT SOURCE:

LED / 90W / 7,650 lm / 110-277V

-XL

DIMENSIONS:

A) Diameter - Ø: 47.2" (120 cm)
B) Height - H: 47.2" (120 cm)

LIGHT SOURCE:

LED / 180W / 15,300 lm / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-DRMR-AC-SP-30K-80-MW-DIM-AC-001141

CODE:

BY-DRMR-AC-
SP-30K-80-MW-
DIM-AC-001141

3 SPECIFY CCT:

-K30 3000K
-K35 3500K
-K40 4000K

4 CRI:

-80 CRI 80
-90 CRI 90

5 BODY FINISH OPTIONS:

-MW Matt White
-MB Matt Black
-RAL Custom on request*

6 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

8 ACOUSTIC FINISH OPTIONS:

-AC-001141		-AC-012133		-AC-028110	
-AC-002122		-AC-013111		-AC-033103	
-AC-003120		-AC-014144		-AC-034102	
-AC-004123		-AC-016104		-AC-035101	
-AC-005107		-AC-017147		-AC-036105	
-AC-006106		-AC-019126		-AC-038127	
-AC-007145		-AC-020128		-AC-040124	
-AC-008129		-AC-021130		-AC-043115	
-AC-009140		-AC-024117		-AC-044114	
-AC-011135		-AC-025138		-AC-039143	

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED

110-277V

Grounding symbol

Beam spread icon

CASAMBI

LOUTRON

WIFI symbol

DAMP LOCATION

HOW TO ORDER:


Example:
CODE: BY-DRMR-AC-SP-30K-80-MW-DIM-AC-001141

CODE:


BY-DRMR-AC-
SP-30K-80-MW-
DIM-AC-001141

8 PHOTOMETRICS:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:



Beam Angle:100.30°(50%Imax)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646