




REGOLO
(surface-mounted/wall)

BY-4045B-PC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The REGOLO by BYIBA is a recessed ceiling light fixture crafted from CRISTALY®, a durable and paintable material that allows for seamless integration into various interior designs. This fixture is designed to accommodate a GU10 LED bulb, providing energy-efficient illumination suitable for dining rooms, living areas, bedrooms, kitchens, hallways, offices, restaurants, shops, and hotels. Its sleek and minimalist design makes it a versatile choice for both residential and commercial spaces, embodying Italian craftsmanship and design excellence.

MATERIAL:

CRISTALY®

FINISHING:

White

LIGHTING:

LED / GU 10

INPUT VOLTAGE:

110-277V / 110-120V

IP RATING:

IP20

DRIVER POSITION:

Remote

INSULATION CLASS:

II / III

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-4045B-PC-L1-K27-DIM

CODE:

BY-4045B-PC-
L1-K27-DIM

1 DIMENSIONS:

A) Length	L:	6.1" (15.5 cm)
B) Height	H:	9.92" (25.2 cm)
C) Length	L:	9.92" (25.2 cm)
D) Depth	P:	6.89" (17.5 cm)

2 LIGHT SOURCE:

-GU	GU 10 / max. 20W / 110-120V
-L1	LED / 6,5W / 110-277V / CRI 90
-L2	LED / 13W / 110-277V / CRI 90

3 CCT and LUMENS:

-K27	2700K = 800 lm	} FOR L1 MODEL
-K30	3000K = 850 lm	
-K40	4000K = 900 lm	
-KK27	2700K = 1500 lm	} FOR L2 MODEL
-KK30	3000K = 1600 lm	
-KK40	4000K = 1700 lm	

4 DIMMING OPTIONS: (only for LED models)

-DIM	0-10V
-DALI	DALI
-LT	Lutron
-CS	Casambi
-WF	Wi-Fi
-NON	Non-Dimmable

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646