



FLIT FOUR
(ceiling-mounted)

BY-8902D-9010

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

A sleek, ultra-thin LED ceiling fixture from the FLAT series—perfect for low-clearance spaces like entryways or wardrobes, yet equally elegant in expansive interiors. Crafted from durable, paint-ready CRISTALY®, it delivers direct, uniform illumination. Fully dimmable with a compatible driver, available in 2700 K (1320 lm), 3000 K (1400 lm), or 4000 K (1480 lm), all at 16 W output—handmade in Italy.

MATERIAL:

CRISTALY®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

IP 20

INSULATION CLASS:

III

DRIVER POSITION:

Remote

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-8902D-9010-K27-DIM

CODE:

BY-8902D-9010-K27-DIM

1 DIMENSIONS:

A) Width - W: 6,30" (16 cm)
B) Length - L: 18,31" (46,5 cm)
C) Height - H: 0,79" (2 cm)

2 LIGHT SOURCE:

LED / max. 4 x 4W / 110-277V / CRI 85

3 CCT & LUMENS:

-K27 2700K = 1320 lm
-K30 3000K = 1400 lm
-K40 4000K = 1480 lm

4 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-NON Non-Dimmable

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646