

BYIBA

L I G H T

The Coolfin cylinders Collection is a sleek, modern lighting solution, featuring suspended and surface-mounted fixtures crafted from durable metal. Available in three models, these fixtures come in a wide range of finishes, including Black, White, Gold, Red, Olive, Vanilla, Chocolate, Flamingo Pink, Pistachio, Indigo, Light Blue, Beige, and Dark Brown. With options for LED or GU10 bulbs, color temperatures of 2700K, 3000K, or 4000K, and dimming capabilities, the Coolfin cylinders combine aesthetic appeal with versatile functionality. Ideal for indoor use, these ETL-certified fixtures enhance any contemporary interior.



COOLFIN (CYLINDERS)



		MATERIAL: Aluminum® LIGHTING: LED / GU10 VOLTAGE: 110-277V / 110-120V IP RATING: IP20 FINISHING: Black, White, Gold, Red, Olive, Vanilla, Chocolate, Flamingo Pink, Pistachio, Indigo, Light Blue, Beige, and Dark Brown. APPLIANCE CLASS: II DRIVER POSITION: Integral for suspended model Remote for surface-mounted model WARRANTY: 5 years MAIN FEATURES: High visual comfort Wide range of finishes Functional design Minimal design
PROJECT		
SPEC TYPE		
NOTES		

LED



GU10



110-277V



110-120V

IP20







STANDARD

CASAMBI

LUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL

DECORATIVE




Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-834-CL-A-10W-K27-DIM-40-RAL
1020

BY-834-CL-A-10W-
K27-DIM-40-RAL 1020

1 MODELS:

- A A) Diameter- Ø: 3.62" (9 cm)
B) Height - H: 5.12" (13 cm)
- B A) Diameter- Ø: 3.62" (9 cm)
B) Height - H: 5.12" (13 cm)
- C A) Diameter- Ø: 4.4" (11 cm)
B) Height - H: 11.8" (30 cm)
C) Canopy - Ø: 5.5" (14 cm)
Cable - max. H: 100" (250 cm)

2 LIGHT SOURCE:

- 10W LED / 10W / 750 lm / CRI90
- 15W LED / 15W / 1125 lm / CRI90
- 20W LED / 20W / 1500 lm / CRI 90
- GU GU10 / max. 10W / CRI 90

3 CCT: (only for LED models)

- K27 2700K
- K30 3000K
- K40 4000K

4 DIMMING OPTIONS: (only for LED models)

- NON Non-Dimmable
- DIM 0-10V

5 REFLECTOR

- 40 40°
- 60 60°



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE




Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



HOW TO ORDER:

Example:

CODE: BY-834-CL-A-10W-K27-DIM-40-RAL 1020

BY-834-CL-A-10W-K27-
DIM-40-RAL 1020

6

FINISH OPTIONS:

-RAL 1020	Olive	
-RAL 9003	White	
-RAL 9002	Vanila	
-RAL 9005	Black	
-RAL 1011	Chocolate	
-RAL 6090	Pistachio	
-RAL 5013	Indigo	
-RAL 1015	Beige	
-RAL 8011	Dark Brown	
-RAL 040 90 10	Flamingo pink	
-RAL 240 08 15	Light blue	

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.