



QUAREO COLLECTION (OUTDOOR WALL LIGHTING)

The QUAREO Collection is a series of minimalist architectural wall luminaires defined by clean geometric forms and refined proportions. Crafted from high-quality materials with integrated LED technology, each model creates a distinctive interplay of light and shadow that enhances contemporary interiors and exteriors. Available in three unique configurations, the collection offers versatile lighting solutions while maintaining a cohesive design language. QUAREO combines sculptural simplicity with functional performance, making it ideal for modern residential, hospitality, and commercial spaces.



	 	MATERIAL: BETALY® LIGHTING: LED VOLTAGE: 110-277V IP RATING: IP65 APPLIANCE CLASS: II/III DRIVER POSITION: Remote WARRANTY: 5 years MAIN FEATURES: High visual comfort Wide range of finishes Functional design Minimal design Operating Temperature: -40°~ +60°
PROJECT		
SPEC TYPE		
NOTES		

LED

110-277V

IP65

III

STANDARD

CASAMBI

LUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:


sales@gordonbullard.com

www.byiba.com


1 877-964-4646

Updated 06/11/2026


-S



-X



-Y



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-1091-9010-S-24V-110V-K22-DIM-396

BY-1091-9010-S-24V-110V-K22-DIM-396

1 MODELS:

-S

DIMENSIONS:

Width - W: 4.33" (11 cm)
 Height - H: 2.56" (6.5 cm)
 Length - L: 9.06" (23 cm)

LIGHT SOURCE:

LED / 5.5W / 800 lm / CRI 80

TENSION:

-24V 24 V DC
 -110V 110-277V - 50/60Hz

-X

DIMENSIONS:

Width - W: 4.33" (11 cm)
 Height - H: 2.56" (6.5 cm)
 Length - L: 9.06" (23 cm)

LIGHT SOURCE:

LED / 5.5W / 24 V DC / 800 lm / CRI 80

-Y

DIMENSIONS:

Width - W: 4.33" (11 cm)
 Height - H: 9.06" (23 cm)
 Length - L: 2.56" (6.5 cm)

LIGHT SOURCE:

LED / 5.5W / 24 V DC / 800 lm / CRI 80

2 CCT:

-K22 2200K
 -K27 2700K
 -K30 3000K

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



HOW TO ORDER:

Example:

CODE: BY-1091-9010-S-24V-110V-K22-DIM-396

BY-1091-9010-
S-24V-110V-K22-
DIM-396

3

DIMMING OPTIONS:

- DIM 0-10V
- LT Lutron
- CS Casambi
- NON Non-Dimmable

4

FINISH OPTIONS:

- 392 White
- 393 Green
- 394 Corten
- 395 Grey
- 396 Black
- 397 Sand



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.