




PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

Neon track is available as suspended and surface-mounted versions, the track can rotate horizontally, and the system also offers the option of different linear modules include diffuser, prismatic, in addition, spotlight, downlight and neon strip. These modules can be combined freely for different applications, at the same time, the track and the neon strip module can be creatively matched to achieve various rich stylings. The track system is operated with 48VDC, 1.18" (30 mm) diameter, small and exquisite.

MATERIAL:

Metal

FINISHING:

Black

LIGHTING:

LED

INPUT VOLTAGE:

48VDC

IP RATING:

20

MAXIMUM LOAD:

350W

PROFILES FINISH OPTION:

Black

MODULES FINISH OPTION:

Black

WWW.BYIBA.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: BY-NNSM-MTS-SC-01-100P-M20S-30-PN-D-TLS-R893-CL21-TLS-R861 / PN-D

1

INSTALLATION TYPE:

- SC Suspension with pendant cable
- SR Suspension with rod
- SM Surface-Mounted

2


DIMENSIONS:

- 01 A) Diameter - Ø: 1.20" (3 cm)
B) Length - H: 39.4" (100 cm)
- 02 A) Diameter - Ø: 1.20" (3 cm)
B) Length - H: 78.7" (200 cm)
- 03 A) Diameter - Ø: 1.20" (3 cm)
B) Length - H: 118" (300 cm)

3

POWER SUPPLY:

- 100P 100W
- 150P 150W
- 250P 250W



LED



IP20

WWW.BYIBA.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

TRACK HEADS:

SPOTLIGHTS MODULES

- M20S-30
- M20S-42
- M20S-52
- M20S-62
- M20SZ-45
- M20SZ-55
- M20SZ-65



LINEAR MODULES

- M20FD
- M20FP
- M20LA
- M20LS
- M20G
- M20G-A
- M20GW
- M20CD



DECORATIVE MODULES

- M20NK-25
- M20I-30
- M20I-50
- M20IJ-30
- M20IB-100
- M20IW-40
- M20SS-55
- RNR30NK
- RNR30NJ
- M20NK-27



*For detailed information see our specsheets for each head

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

ACCESSORIES:

-L90-MR20(A) L-shaped corner (Downward)	-L90N-MR20(A) L-shaped corner (Inward)	-L90-MR20(B) L-shaped corner (Downward)	-L90N-MR20(B) L-shaped corner (Inward)	-L90-MR20(C) L-shaped corner (Downward)
-L90N-MR20(C) L-shaped corner (Inward)	-L90-MS20 L-shaped corner (Downward)	-L90N-MS20 L-shaped corner (Inward)	-L90-MH20 L-shaped corner (Downward)	-L90N-MH20 L-shaped corner (Inward)
-L90-MH20(A) L-shaped Adjustable corner (Downward)	-T90-MH20(A) T-shaped Adjustable corner (Downward)	-X90-MH20(A) X-shaped Adjustable corner (Downward)		

HOW TO ORDER:

Example:

CODE: BY-NNSM-MTS-SC-01-100P-M20S-30-PN-

D-TLS-R893-CL21-TLS-R861 / PN-D

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

ACCESSORIES:

-PN-D Pendant cable (Track)	-TLS-R892 Pendant cable (Neon)	-PG-I Pendant rod (Track)	-TLS-R893 Pendant rod (Neon)	-CL-18 Ceiling accessories (Neon)
-CL-21 Ceiling screw (Track)	-TLS-R862(N) Power feeder of track	-TLS-R865 Female end cap	-TLS-R600 End cap	-TLS-R860 Turned connector
-TLS-R861 Straight connector (Without Wire locker)	-TLS-R863(N) I-shaped electrical connector 180° splicing bar	HOW TO ORDER: Example: CODE: BY-NNSM-MTS-SC-01-100P-M20S-30-PN-D-TLS-R893-CL21-TLS-R861 / PN-D		

NOTES

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

POWER SUPPLY:

-PN-D

100W Power supply



-BN-V48-150P

150W Power supply



-BN-V48-250P

250 Power supply



HOW TO ORDER:

Example:

CODE: BY-NNSM-MTS-SC-01-100P-M20S-30-PN-D-TLS-R893-CL21-TLS-R861 / PN-D

NOTES

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646