






STICK (6MM MAGNETIC TRACK SYSTEM)

The STICK magnetic track provides the foundation for a sleek and highly adaptable lighting system. Its ultra-slim 6mm profile integrates seamlessly into modern architectural spaces while maintaining a clean, minimalist appearance. Available in recessed, surface-mounted, and suspended versions, it supports a wide range of compatible magnetic luminaires. Crafted from premium aluminum, the track offers reliable performance, durability, and effortless reconfiguration.





MATERIAL:

Die-cast aluminum housing

PMMA or optical lens / diffuser

Steel mounting components

LIGHTING:

LED: SMD

VOLTAGE:

110-277V

IP RATING:

IP20

CRI:

CRI 90

APPLIANCE CLASS:

I

WARRANTY:

3 years

MAIN FEATURES:

High visual comfort

Wide range of finishes

Functional design

Minimal design

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-STCK-MJ-S-B1-K30-DIM-WH

BY-STCK-MJ-S-

B1-K30-DIM-WH



1

MODELS:

-S

Length - L: 8.00" (20.3 cm)

Width - W: 0.24" (0.6 cm)

Hight - H: 0.55" (1.4 cm)

BEAM ANGLE:

-B1 100°

LIGHT SOURCE:

LED / 5W / 110-277V / CRI 90

-M

Length - L: 11.93" (30.3 cm)

Width - W: 0.24" (0.6 cm)

Hight - H: 0.55" (1.4 cm)

LIGHT SOURCE:

LED / 9W / 110-277V / CRI 90

BEAM ANGLE:

-B1 40°

-B2 60°

-L

Length - L: 15.87" (40.3 cm)

Width - W: 0.24" (0.6 cm)

Hight - H: 0.55" (1.4 cm)

LIGHT SOURCE:

LED / 12W / 110-277V / CRI 90

2

-B1 100°

-B2 40°

-B3 60°

3

CCT:

-K30 3000K

-K35 3500K

-K40 4000K



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-STCK-MJ-S-B1-K30-DIM-WH

BY-STCK-MJ-S-
B1-K30-DIM-WH

4

DIMMING OPTIONS:

- DIM 0-10V
- DALI DALI
- NON Non-Dimmable

5

FINISH OPTIONS:

- WH Elegant White
- CG Champagne Gold
- GB Gun Black
- CHR Chrome
- YH Yahei (Dark Gray / Graphite)
- CUS Custom on request

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646