





0.4"(1 CM) MAGNETIC TRACK (10MM MAGNETIC TRACK SYSTEM)

The 0.4"(1 cm) Magnetic TRACK is a modular low-voltage lighting platform designed for flexible architectural illumination. Its slim aluminum profile integrates seamlessly into modern interiors while allowing luminaires to be installed, repositioned, or replaced magnetically without tools. Available in recessed, surface-mounted, and suspended configurations, the system supports a wide range of spotlights, linear lights, pendants, and decorative fixtures. Engineered for residential, hospitality, retail, and commercial applications, it combines clean aesthetics with reliable performance and maximum design flexibility.





MATERIAL:

Extruded Aluminum Housing
High-conductivity Copper Conductors
Polycarbonate (PC) Insulator

WARRANTY:

5 years

ABOUT TRACK:

Ultra-Slim Design – Minimalist 10mm magnetic track for clean architectural integration.

Magnetic Installation – Tool-free mounting and effortless repositioning of compatible luminaires.

Modular System – Supports spotlights, linear lights, pendants, and decorative fixtures on a single platform.

PROJECT

Multiple Mounting Options – Available in recessed, surface-mounted, and suspended configurations.

SPEC TYPE

Premium Construction – Extruded aluminum housing with high-conductivity copper conductors for durability and reliable performance.

NOTES

Wide Applications – Ideal for residential, hospitality, retail, office, and commercial lighting projects.



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



Contact Us:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646


HOW TO ORDER:
 Example:
 CODE: BY-1TR-MJ-RT-PCBL-SLT

BY-1TR-MJ-RT-PCBL-SLT

1

MODELS:

RECESSED TRACK





-RT

Dimensions:

Length - L: 39.37"(100 cm)

Width - W: 2.30" (5.84 cm)

Hight - H: 2.15" (5.45 cm)



Flush with ceiling

FLANGED RECESSED TRACK





-FRT

Dimensions:

Length - L: 39.37"(100 cm)

Width - W: 2.30" (5.84 cm)

Hight - H: 2.15" (5.45 cm)



Flanged trim visible

SURFACE-MOUNTED TRACK




-SMT

Dimensions:

Length - L: 39.37"(100 cm)

Width - W: 2.30" (5.84 cm)

Hight - H: 2.15" (5.45 cm)



Mounted on surface

2

FINISH OPTIONS:

- PCBL Powder-Coated Black
- PCWH Powder-Coated White (optional)
- CUS Custom on request



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

HOW TO ORDER:

Example:
CODE: BY-1TR-MJ-RT-PCBL-SLT

BY-1TR-MJ-RT-PCBL-SLT

3 TRACK HEADS:

-SLT SOLUTE



-SHR SHER



-CHP CHUP




-CHN CHAN



-MRO MIRO



-SCP SCEIP



-SNK SNAKE



**For detailed information see our specsheets for each head*



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 07/14/2026