



HEXA COLLECTION (OUTDOOR WALL LIGHTING)

The HEXA collection by designer Irene Cinel is built on a single idea — pure geometric form handcrafted in Italy from durable, eco-friendly BETALY®, with a seamless built-in mount that makes installation effortless on any wall surface. Depending on orientation, light travels upward or downward through the fixture, casting soft, diffused indirect illumination that adds depth and atmosphere to any façade. The collection comes in two sizes — HEXA up to 11W and HEXA BIG up to 22W with 3200 lumens — both IP65-rated, dimmable, and available in warm colour temperatures of 2200K, 2700K, or 3000K. Six BETALY® finishes — White, Black, Grey, Sand, Corten, and Green — complete a collection designed to bring sculptural calm to every outdoor space.



		MATERIAL: BETALY® LIGHTING: LED VOLTAGE: 110-277V IP RATING: IP65 APPLIANCE CLASS: III DRIVER POSITION: Remote WARRANTY: 5 years MAIN FEATURES: High visual comfort Wide range of finishes Functional design Minimal design Operating Temperature: -40°~ +60°
PROJECT		
SPEC TYPE		
NOTES		

LED

110-277V

IP65

III

STANDARD

CASAMBI

LUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE



Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: BY-1099AB-9010-S-L1-K22-DIM-396

BY-1099AB-9010
-S-L1-K22-
DIM-396

1

MODELS:

-S

DIMENSIONS:

Height - H: 6.81" (17.3 cm)
Length - L: 7.87" (20.0 cm)
Width - W: 2.05" (5.2 cm)

LIGHT SOURCE:

-L1 LED / 5.5W / 110-277 V / CRI 80
-L2 LED / 11W / 110-277 V / CRI 80

CCT&LUMENS:

-K22 2200K = 720 lm
-K27 2700K = 760 lm
-K30 3000K = 800 lm
-KK22 2200K = 1440 lm
-KK27 2700K = 1520 lm
-KK30 3000K = 1600 lm

FOR L1 MODEL

FOR L2 MODEL

WEIGHT:

2.43 lb

-M

DIMENSIONS:

Height - H: 10.24" (26.0 cm)
Length - L: 11.81" (30.0 cm)
Width - W: 2.05" (5.2 cm)

LIGHT SOURCE:

-L1 LED / 11W / 110-277 V / CRI 80
-L2 LED / 22W / 110-277 V / CRI 80



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.



HOW TO ORDER:

Example:

CODE: BY-1099AB-9010-S-L1-K22-DIM-396

BY-1099AB-9010
-S-L1-K22-
DIM-396

1 MODELS:

CCT&LUMENS:

-K22	2200K = 1440 lm	} FOR L1 MODEL
-K27	2700K = 1520 lm	
-K30	3000K = 1600 lm	
-KK22	2200K = 2880 lm	} FOR L2 MODEL
-KK27	2700K = 3040 lm	
-KK30	3000K = 3200 lm	

WEIGHT:

4.63 Lb

2 DIMMING OPTIONS:

-DIM	0-10V
-DALI	DALI
-LT	Lutron
-CAS	Casambi
-NON	Non-Dimmable

3 FINISH OPTIONS:

-392	White	
-393	Green	
-394	Corten	
-395	Grey	
-396	Black	
-397	Sand	

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646