




CUPE (6MM MAGNETIC TRACK SYSTEM)

CUPE is a compact cylindrical spotlight designed to deliver precise accent lighting with a refined architectural aesthetic. Its clean geometry and adjustable beam make it ideal for highlighting artwork, displays, and interior details. The magnetic mounting system allows quick installation and repositioning without tools. Available in multiple finishes, CUPE combines flexibility with elegant modern design.



	
PROJECT	
SPEC TYPE	
NOTES	

MATERIAL:

Die-cast aluminum housing
PMMA or optical lens / diffuser
Steel mounting components

LIGHTING:

LED: COB

VOLTAGE:

110-277V

IP RATING:

IP20

CRI:

CRI 90

APPLIANCE CLASS:

I

WARRANTY:

3 years

MAIN FEATURES:

High visual comfort
Wide range of finishes
Functional design
Minimal design

LED

110-277V

IP20









WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.BYIBA.COM

OUTDOOR

TECHNICAL




DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-CUP-MJ-E01-B1-K30-DIM-WH

BY-CUP-MJ-E01-
B1-K30-DIM-WH

1 MODELS:

-E01

Length - L: 3.94" (10 cm)
Height - H: 2.36" (6 cm)
Diameter - Ø: 2.56" (6.5 cm)

BEAM ANGLE:

-B1 24°
-B2 36°

-E02

Length - L: 3.94" (10 cm)
Height - H: 2.36" (6 cm)
Diameter - Ø: 1.77" (4.5 cm)

BEAM ANGLE:

-B1 15°
-B2 24°
-B3 36°

-E03

Length - L: 3.94" (10 cm)
Height - H: 2.36" (6 cm)
Diameter - Ø: 2.56" (6.5 cm)

2 LIGHT SOURCE:

LED / 6W / 110-277V / CRI 90

3 CCT:

-K30 3000K
-K35 3500K
-K40 4000K

4 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-NON Non-Dimmable

5 FINISH OPTIONS:

-WH Elegant White -CHR Chrome
-CG Champagne Gold -YH Yahei (Dark Gray / Graphite)
-GB Gun Black -CUS Custom on request



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646