





STERIO (6MM MAGNETIC TRACK SYSTEM)

STERIO is a slim magnetic grille light designed to provide comfortable, low-glare illumination with a clean architectural appearance. Its linear optical design delivers uniform light distribution, making it ideal for offices, retail spaces, hospitality, and modern residential interiors. The magnetic mounting system allows quick installation and effortless repositioning along the track. Built from premium materials, STERIO combines energy-efficient performance with refined contemporary styling.





MATERIAL:

Die-cast aluminum housing

PMMA or optical lens / diffuser

Steel mounting components

LIGHTING:

LED: SMD

VOLTAGE:

110-277V

IP RATING:

IP20

CRI:

CRI 90

APPLIANCE CLASS:

I

WARRANTY:

3 years

MAIN FEATURES:

High visual comfort

Wide range of finishes

Functional design

Minimal design

PROJECT

SPEC TYPE

NOTES

LED

110-277V

IP20









WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.BYIBA.COM

OUTDOOR

TECHNICAL



DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: BY-STRO-MJ-S-B1-K30-DIM-WH

BY-STRO-MJ-S-
B1-K30-DIM-WH

1 MODELS:

-S 14 heads
Length - L: 4.17" (10.6 cm)
Width - W: 0.24" (0.6 cm)
Hight - H: 1.57" (4 cm)

LIGHT SOURCE:
LED / 3W / 110-277V / CRI 90

-M 28 heads
Length - L: 8.35" (21.2 cm)
Width - W: 0.24" (0.6 cm)
Hight - H: 1.57" (4 cm)

LIGHT SOURCE:
LED / 7W / 110-277V / CRI 90

2 BEAM ANGLE:

-B1 60°

3 CCT:

-K30 3000K
-K35 3500K
-K40 4000K

4 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-NON Non-Dimmable

5 FINISH OPTIONS:

-WH Elegant White
-CG Champagne Gold
-GB Gun Black
-CHR Chrome
-YH Yahei (Dark Gray / Graphite)
-CUS Custom on request



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646