




ARCHO GIGANTE

INSTALLATION TYPE:
WALL RECESSED



			025.585 MADE IN ITALY	2485A 5,5W 2485B 10,5W 2485C 14,5W 2486A 8W 2486B 16W 2486C 24W 2486D 32W 2486E 39W 2486F 52W
C.V. [V]	LED 110-277V		IP 20	




NO!

2485A	15.9" x 5.71"
2485B	21.85" x 5.71"
2485C	27.76" x 5.71"
2486A	15.9" x 5.71"
2486B	27.76" x 5.71"
2486C	(2x)5.51" x 5.51"
2486D	(2x)5.51" x 5.51"
2486E	(2x)5.51" x 5.51"
2486F	(2x)5.51" x 5.51"




1




Terminal block is not included. For the installation qualified personnel may be required. (we recommend MAMMUT/ FORBOX 0.00233ipf)




2




3




4




5




6




7



8



9





IMPORTANT

To ensure equipment safety you must carefully follow the instructions below. This leaflet must be kept handy by personnel entrusted with all ordinary and extraordinary maintenance.

- Before any installation or maintenance operation on the bulb, make sure it is disconnected from power
- Fit the correct bulbs, according to the type and power indicated on the lamp data label.
- Make sure the lamp technical features are compatible with the use you are going to make of it.
- Should you have any doubt, refer to the dealer or ask an electrician.
- When connecting to the mains, follow the correct colour code for power cables: (N) blue, (L) brown or black and, only for class I equipment, (T) yellow/green.
- When lamps are to be fitted to the wall directly through their ceramic parts, fasten the fixing screws lightly, to avoid breaking the ceramic.
- To clean the lamp on the outside, use a soft cloth, possibly wet. Do not use solvents or abrasive products. No liquid must get in contact with the lamp interior parts.
- Do not touch the equipment with dirty hands.



= Class I equipment, must be connected to an earth terminal.



= Double insulated lamp, does not need earthing.



= Electrical equipment in class III, electrical safety guaranteed by low voltage tension, does not require grounding



= Minimum distance to be observed from all lit up objects.



= Replace immediately the safety glass, if damaged, with the original part.



= The lamp uses low pressure bulbs, and needs no protection glass.



= The equipment at the end of its life must be collected separately from other waste.