



GREENERY PENDANT (ACOUSTIC COLLECTION)

The Greenery Pendant combines an ultra-slim 0.71-inch profile with high-performance illumination and effective acoustic control, creating a refined solution for modern architectural interiors. Its integrated polyester-fiber acoustic panel helps absorb unwanted noise and reduce reverberation, supporting a quieter, more comfortable, and productive environment. Available in five lengths from 11.8 to 43.3 inches, the fixture can be specified in black or white, with customized finishes and a choice of 36 acoustic felt colors for greater design flexibility.

A continuous silicone lens delivers soft, uniform light with no dark areas and provides up to 300-degree illumination for enhanced visual comfort.





MATERIAL:

Aluminum, PC, Polyester fiber

LIGHTING:

LED

WARRANTY:

5 years

MAIN FEATURES:

Flexible MOQ.

ETL listed, 5 years warranty.

No dark area, soft and even light distribution.

Good for use in hotel, office, shopping mall, public building, etc.

The packaging has passed strict tests which is suitable for air shipping.

Packing with single piece per carton is good fit for stock, bulk pack is suitable for ordering per project.

CRI:

>90

BEAM ANGLE:

300

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.




Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-GRP-NS-SP-30-R9011-35K-DIM

BY-GRP-NS-

SP-30-

R9011-35K-DIM

1

INSTALLATION TYPE:

-SP Suspended

Suspended with 1.5m suspension safety cable

2

MODELS:

For 40W option

-30

Length - L: 11.8" (30 cm)

Width- W: 11.8" (30 cm)

Hight - H: 1.1" (2.8 cm)

For 50W option

-40

Length - L: 15.7" (40 cm)

Width- W: 15.7" (40 cm)

Hight - H: 1.1" (2.8 cm)

For 100W option

-5090

Length - L: 35.4" (90 cm)

Width- W: 19.7" (50 cm)

Hight - H: 1.1" (2.8 cm)

For 72W option

-50

Length - L: 19.7" (50 cm)

Width- W: 19.7" (50 cm)

Hight - H: 1.1" (2.8 cm)

For 150W option

-5060

Length - L: 43.3" (110 cm)

Width- W: 25.6" (65 cm)

Hight - H: 1.1" (2.8 cm)

3

LIGHT SOURCE:

VOLTAGE: 110-277V

LED/40W OR 50W OR 72W OR 100W OR 150W/
70lm/W

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-GRP-NS-SP-30-R9011-35K-DIM

BY-GRP-NS-
SP-30-
R9011-35K-DIM

4 FINISH OPTIONS:

STANDARD FINISHES

- R9011 RAL 9011 
- R9010 RAL 9010 

CUSTOM FINISHES

- R9016 RAL 9016 
- R5017 RAL 5017 
- R7021 RAL 7021 
- R6021 RAL 6021 
- R3028 RAL 3028 
- R1021 RAL 1021 
- R1027 RAL 1027 
- R6027 RAL 6027 
- R9006 RAL 9006 
- R6002 RAL 6002 
- ERCH EUROPEAN CHERRY 
- LIGOA LIGHT OAK 
- MAPL MAPLE 
- PALS PALISANDER SANTOS 
- AMCW AMERICAN WALNUT 

5 CCT OPTIONS:

- 30K 3000K
- 35K 3500K
- 40K 4000K

6 DIMMING OPTIONS:

- DIM 0-10V DIMMABLE
- NON ON/OFF NON DIMMABLE

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646