




AI-WINDOW (INDOOR ARTIFICIAL SUNLIGHT SYSTEM)

The AI-WINDOW series introduces a recessed skylight that recreates the natural sky and sunbeam, allowing designers to bring daylight into any interior with complete creative freedom. Designed for the BYIBA modular ceiling system, AI-WINDOW combines a diffused Sky Light with a focused Sun Light beam, simulating up to 90% of the natural solar spectrum. Its dynamic, 24-hour lighting cycle provides soft, uniform illumination while becoming a striking architectural feature. Perfect for hospitality, healthcare, retail, and underground interiors, AI-WINDOW transforms lighting into an experience of natural sunlight.





MATERIAL:

Aluminium Alloy + Tempered Glass

LIGHTING:

LED: Dynamic Sky + Sun Light

VOLTAGE:

110-277V

IP RATING:

IP20

CRI:

CRI 98

APPLIANCE CLASS:

I

WARRANTY:

3 years

MAIN FEATURES:

Dynamic sky with moving clouds

Up to 90% match to natural solar spectrum

Sunbeam illuminance up to 5,000 lx @3m

DALI / APP / Panel control

PROJECT

SPEC TYPE

NOTES

LED

110-277V

IP20



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL


DECORATIVE

Contact Us:


sales@gordonbullard.com

www.byiba.com


1 877-964-4646




-06



-1206



-1212



-1503

HOW TO ORDER:

Example:

CODE: BY-AWDW-KR-06-DYN-K25-DALI-WH

BY-AWDW-
KR-06-DYN-K25-
DALI-WH

1 MODELS:

-06

Diameter - Ø: 23.82" (60.5 cm)

Height - H: 3.66" (9.3 cm)

LIGHT SOURCE:

LED / 125W / 110-277V / CRI 98

-1206

Length - L: 46.06" (117 cm)

Width - W: 4.72" (12 cm)

Height - H: 22.44" (57 cm)

LIGHT SOURCE:

LED / 275W / 110-277V / CRI 98

-1212

Length - L: 46.06" (117 cm)

Width - W: 4.76" (12.1 cm)

Height - H: 46.06" (117 cm)

LIGHT SOURCE:

LED / 415W / 110-277V / CRI 98

-1503 Linear

Length - L: 58.31" (148.1 cm)

Width - W: 4.57" (11.6 cm)

Height - H: 10.63" (27 cm)

LIGHT SOURCE:

LED / 92W / 110-277V / CRI 98

-MINI

Length - L: 22.44" (57 cm)

Width - W: 2.87" (7.3 cm)

Height - H: 10.79" (27.4 cm)

LIGHT SOURCE:

LED / 48W / 110-277V / CRI 98



WE WELCOME ALL CUSTOM ORDERS


Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



-MINI

HOW TO ORDER:

Example:

CODE: BY-AWDW-KR-06-DYN-K25-DALI-WH

BY-AWDW-
KR-06-DYN-K25-
DALI-WH

2 SKY EFFECT:

- DYN** Dynamic Sky (moving clouds)
- CLV** Cloud View
- TBL** True Blue
- PBL** Pure Blue

3 CCT:

- K25** 2500K
- K40** 4000K
- K65** 6500K
- K100** 10000K

Fully tunable 2500K–10000K — select a fixed CCT or Dynamic Sky auto-cycle

4 CONTROL METHOD:

- PNL** Wall Control Panel (RF, latitude auto-sync)
- APP** APP (Bluetooth)
- DALI** DALI (DT6 / DT8)

5 FINISH OPTIONS:

- WH** White Aluminium Frame
- CUS** Custom on request

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 07/08/2026