
BYIBA
LIGHT

MR. BEAM (PENDANT)





MR. BEAM is a contemporary linear pendant that combines natural elegance with modern performance. Crafted from aluminum and PMMA with refined oak wood finishes — available in stained black, natural, or stained white — it brings warmth and sophistication to both residential and commercial interiors. Integrated high-efficiency LED technology delivers clean, directional illumination ideal for dining areas, workspaces, meeting rooms and hospitality environments. Its minimalist suspension system keeps the profile clean and the installation versatile. Available in four standard lengths or a custom length on request, with an optional uplight. Red Dot Design Award winner 2017.



CRI >90

BYIBA
LIGHT

CODE:
BY-230-P



MATERIAL:
Aluminum / Metal / Oak wood, PMMA diffuser

PROFILE FINISH:
Oak stained black / Oak natural / Oak stained white

BRACKET COLORS:
Black / White / Brass / Bronze Light / Bronze Dark

LIGHTING:
Integrated LED

INPUT VOLTAGE:
110–277V

CRI:
>90

DRIVER:
Internal

IP RATING / APPLIANCE CLASS:
IP20 / Class I

GLOW WIRE TEST:
650 °C

OPERATING TEMPERATURE RANGE:
-20 °C to +40 °C

PROJECT

SPEC TYPE

NOTES



Intertek

WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR | TECHNICAL | DECORATIVE


Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 11/17/2026


BYIBA
LIGHT

CODE:
BY-230-P

160 CM



220 / 260 / 340 CM



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: BY-230-P-1-117-K27-DALI-02-BL-CL1

1 MODELS:

Height - H: 4.72″ (12 cm)
Width - W: 3.39″ (8.6 cm)
Light source - LED / 110–277V / CRI >90

CODE	LENGTH	POWER	LUMENS
-1	L: 62.99″ (160 cm)	24 W	3920 lm
-6	L: 86.6″ (220 cm)	36 W	5886 lm
-4	L: 102″ (260 cm)	44 W	7194 lm
-7	L: 134″ (340 cm)	60 W	9810 lm

-CUS Custom length on request
Power and lumen output calculated for the requested length

2 PROFILE MATERIAL:

-117 Oak stained black
-118 Oak natural
-131 Oak stained white

3 CCT:

-K27 2700K
-K30 3000K

4 DIMMING OPTIONS:

-NON Non-dimmable (internal)
-DALI DALI (internal)
-PC Phase cut (internal)

5 BRACKET COLOR:

-02 Black
-03 White
-110 Brass
-150 Bronze Light
-151 Bronze Dark

LED | 110-277V | IP20

Intertek

WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR | TECHNICAL | DECORATIVE


Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 11/17/2026


BYIBA
LIGHT

CODE:
BY-230-P

160 CM



220 / 260 / 340 CM



HOW TO ORDER:

Example:
CODE: BY-230-P-1-117-K27-DALI-02-BL-CL1

6 SUSPENSION KIT:

-BL ■ Black
-WH □ White

7 UPLIGHT (OPTIONAL):

-UP Uplight 9.6 W/m
-NO NO for version without uplight.

8 CABLE LENGTH:

-CL1 4.92 ft (1.5 m)
-CL2 8.2 ft (2.5 m)

PROJECT

SPEC TYPE

NOTES

LED | 110-277V | IP20

Intertek

WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR | TECHNICAL | DECORATIVE

Contact Us:
sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Updated 11/17/2026