




FRUIT IN&OUT (ACOUSTIC COLLECTION)

Fruit In & Out combines inner and outer LED illumination with a high-performance acoustic core for maximum visual impact and acoustic performance. The dual-light design creates a balanced ambient glow while enhancing comfort in shared environments. Designed for offices, hotels, restaurants, and public buildings, it delivers both functionality and architectural elegance. Available in several diameters and acoustic fabric finishes, it offers extensive customization for modern interior projects.



		MATERIAL: Silicon, Aluminum, Polyester Fiber LIGHTING: LED VOLTAGE: 110-277V IP RATING: IP44 APPLIANCE CLASS: I EFFICIENCY: 70m/w PF: ≥0.9 CRI: ≥90 LIGHTING DISTRIBUTION: 300° WARRANTY: 5 years MAIN FEATURES: Excellent sound absorption and noise reduction effect Uniform light distribution
PROJECT		
SPEC TYPE		
NOTES		

LED

110-277V

IP44

STANDARD

CASAMBI

LUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL



DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-FRTIO-NS-IO-SM-LL0213ASAC-32W-K30-WH-DIM-AC-001141

BY-FRTIO-NS-IO-SM-LL0213ASAC-32W-K30-WH-DIM-AC-001141

1 LIGHT DISTRIBUTION:

-IO In&Out



2 INSTALLATION TYPE:

-SM Surface Mounted

-SP Suspended

Central canopy suspended with 5ft (1.5m) aircraft cables&power cables

3 MODELS:

-LL0213ASAC-32W

Diameter - Ø: 11.8" (30 cm)

Height - H: 1.1" (2.8 cm)

LIGHT SOURCE:

LED / 32W / 110-277 V / CRI 90

-LL0213ASAC-45W

Diameter - Ø: 15.7" (40 cm)

Height - H: 1.1" (2.8 cm)

LIGHT SOURCE:

LED / 45W / 110-277 V / CRI 90

-LL0213ASAC-60W

Diameter - Ø: 23.6" (60 cm)

Height - H: 1.1" (2.8 cm)

LIGHT SOURCE:

LED / 60W / 110-277 V / CRI 90

-LL0213ASAC-100W

Diameter - Ø: 35.4" (90 cm)

Height - H: 1.1" (2.8 cm)

LIGHT SOURCE:

LED / 100W / 110-277 V / CRI 90



WE WELCOME ALL CUSTOM ORDERS



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-FRTIO-NS-IO-SM-LL0213ASAC-32W-K30-WH-DIM-AC-001141

BY-FRTIO-NS-IO-SM-
LL0213ASAC-32W-K30-
WH-DIM-AC-001141

3 MODELS:

-LL0213ASAC-135W

Diameter - Ø: 47.2" (120 cm)

Height - H: 1.1" (2.8 cm)

LIGHT SOURCE:

LED / 135W / 110-277 V / CRI 90

4 CCT:

-K30 3000K

-K35 3500K

-K40 4000K

5 BODY COLOR:

-WH White

-BL Black

-CUS Custom on request

6 DIMMING OPTIONS:

-NON Non-Dimmable

-DIM 1-10V

7 ACOUSTIC FINISH OPTIONS:

-AC-001141



-AC-012133



-AC-013111



-AC-014144



-AC-016104



-AC-017147



-AC-019126



-AC-020128



-AC-021130



-AC-024117



-AC-025138



-AC-028110



-AC-033103



-AC-034102



-AC-035101



-AC-036105



-AC-038127



-AC-040124



-AC-043115



-AC-044114



-AC-039143



PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026