





FRUIT DOWN (ACOUSTIC COLLECTION)

Fruit Down is a surface-mounted acoustic luminaire designed to improve room acoustics while providing efficient downward illumination. The integrated LED delivers soft, uniform light that creates a comfortable atmosphere for everyday use. Its minimalist profile blends seamlessly into offices, meeting rooms, healthcare facilities, and public interiors. A wide selection of acoustic finishes allows designers to coordinate the fixture with any architectural concept.



	 	MATERIAL: Aluminum, pc,polyester fiber LIGHTING: LED VOLTAGE: 110-277V IP RATING: IP44 APPLIANCE CLASS: I EFFICIENCY: 85m/w PF: ≥0.9 CRI: ≥90 LIGHTING DISTRIBUTION: 120° WARRANTY: 5 years MAIN FEATURES: Excellent sound absorption and noise reduction effect Uniform light distribution
PROJECT		
SPEC TYPE		
NOTES		

LED

110-277V

IP44

STANDARD

CASAMBI

LOUTRON



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

OUTDOOR

TECHNICAL

DECORATIVE



Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

Updated 06/11/2026



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-FRTDW-NS-D-SM-LL0113SAC-40W-K30-WH-DIM-AC-001141

BY-FRTDW-NS-D-SM-LL0113SAC-40W-K30-WH-DIM-AC-001141

1 LIGHT DISTRIBUTION:

-D Down



2 INSTALLATION TYPE:

-SM Surface Mounted

-SP Suspended

Central canopy suspended with 5ft(1.5m) aircraft cable&power cables

3 MODELS:

-LL0113SAC-40W

Diameter - Ø: 23.62" (60 cm)

Width - W: 1.3" (3.2 cm)

Height - H: 1.5" (3.8 cm)

LIGHT SOURCE:

LED / 40W / 110-277 V / CRI 90

-LL0113SAC-50W

Diameter - Ø: 35.43" (90 cm)

Width - W: 1.3" (3.2 cm)

Height - H: 1.5" (3.8 cm)

LIGHT SOURCE:

LED / 50W / 110-277 V / CRI 90

-LL0113SAC-80W

Diameter - Ø: 47.24" (120 cm)

Width - W: 1.3" (3.2 cm)

Height - H: 1.5" (3.8 cm)

LIGHT SOURCE:

LED / 80W / 110-277 V / CRI 90



WE WELCOME ALL CUSTOM ORDERS



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646



HOW TO ORDER:

Example:

CODE: BY-FRTDW-NS-D-SM-LL0113SAC-40W-K30-WH-DIM-AC-001141

BY-FRTDW-NS-D-SM-
LL0113SAC-40W-K30-
WH-DIM-AC-001141

3 MODELS:

-LL0113SAC-100W

Diameter - Ø: 59.05" (150 cm)

Width - W: 1.3" (3.2 cm)

Height - H: 1.5" (3.8 cm)

LIGHT SOURCE:

LED / 100W / 110-277 V / CRI 90

4 CCT:

-K30 3000K

-K35 3500K

-K40 4000K

5 BODY COLOR:

-WH White

-BL Black

-CUS Custom on request

6 DIMMING OPTIONS:

-NON Non-Dimmable

-DIM 1-10V

7 ACOUSTIC FINISH OPTIONS:

-AC-001141	●	-AC-012133	●	-AC-028110	●
-AC-002122	●	-AC-013111	●	-AC-033103	●
-AC-003120	●	-AC-014144	●	-AC-034102	●
-AC-004123	●	-AC-016104	●	-AC-035101	●
-AC-005107	●	-AC-017147	●	-AC-036105	●
-AC-006106	●	-AC-019126	●	-AC-038127	●
-AC-007145	●	-AC-020128	●	-AC-040124	●
-AC-008129	●	-AC-021130	●	-AC-043115	●
-AC-009140	●	-AC-024117	●	-AC-044114	●
-AC-011135	●	-AC-025138	●	-AC-039143	●

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646