



DRUM  
(pendant)

BY-DRM-PN

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The DRUM series features elegant ceiling or suspension lamps with a clean, circular design that provides direct light. These luminaires are crafted from high-quality materials and are available in various finishes to suit different interior aesthetics. The DRUM series utilizes LED technology for efficient lighting, making it suitable for both residential and commercial spaces. Its minimalist design and versatile installation options make it an ideal choice for modern interiors, providing both function and style.

MATERIAL:

Spun aluminum

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

40

BEAM ANGLE:

112°

DRIVER POSITION:

Remote

CRI:

80

OPERATING TEMPERATURE RANGE:

-20 to +40 C

CORD LENTH:

98.43" (250 cm)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



### HOW TO ORDER:

Example:  
CODE: BY-DRM-PN-6-L1-DIM-WH

### CODE:

BY-DRM-  
PN-6-L1-  
DIM-WH

### 1 MODELS:

- 6      A) Diameter - Ø: 23.62" (60 cm)  
         B) Height - H: 4.72" (12 cm)  
         C) Canopy - Ø: 5.5" (13.97 cm)
- 12     A) Diameter - Ø: 45.28" (60 cm)  
         B) Height - H: 4.72" (12 cm)  
         C) Canopy - Ø: 5.5" (13.97 cm)

### 2 LIGHT SOURCE:

#### FOR -6 MODEL

- L1    LED | 46W | 750 mA | 3000K | 4582 lm
- L3    LED | 46W | 750 mA | 4000K | 4825 lm
- L4    LED | 29W | 1200 mA | 3000K | 2297 lm
- L5    LED | 29W | 1200 mA | 4000K | 2483 lm
- E1    3 x E26 | max. 30W | 3 x 810 lm

#### FOR -12 MODEL

- L6    LED | 94W | 12,154 mA | 3000K | 6876 lm
- L7    LED | 94W | 12,804 mA | 4000K | 7243 lm

### 3 DIMMING OPTIONS:

- DIM    0-10V
- DALI   DALI
- LT     Lutron
- CS     Casambi
- WF     WI-FI
- NON    Non-Dimmable

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

sales@gordonbullard.com  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



### HOW TO ORDER:

Example:  
CODE: BY-DRM-PN-6-L1-DIM-WH

CODE:


BY-DRM-  
PN-6-L1-  
DIM-WH

### 4 FINISH OPTIONS:

- WH White (matt)
- BL Black (matt)
- AGM Anthracite grey matt
- BR Bronze
- AGT Antique grey matt
- SM Sand matt
- LGM Light grey matt
- CM Corten matt
- BM Blue matt
- GM Green matt


### 5 PHOTOMETRICS:

-L5




| H(m) | φ (m) | lux med.<br>4000 K | lux max.<br>4000 K |
|------|-------|--------------------|--------------------|
| 5    | 14.8  | 9                  | 36                 |
| 4    | 11.9  | 14                 | 57                 |
| 3    | 8.9   | 25                 | 101                |
| 2    | 5.9   | 56                 | 227                |
| 1    | 3.0   | 222                | 910                |

-L6




| H(m) | φ (m) | lux med.<br>4000 K | lux max.<br>4000 K |
|------|-------|--------------------|--------------------|
| 5    | 14.8  | 9                  | 36                 |
| 4    | 11.9  | 14                 | 57                 |
| 3    | 8.9   | 25                 | 101                |
| 2    | 5.9   | 56                 | 227                |
| 1    | 3.0   | 222                | 910                |

-L1




| H(m) | φ (m) | lux med.<br>3000 K | lux max.<br>3000 K |
|------|-------|--------------------|--------------------|
| 5    | 14.8  | 16                 | 64                 |
| 4    | 11.9  | 24                 | 100                |
| 3    | 8.9   | 43                 | 178                |
| 2    | 5.9   | 98                 | 400                |
| 1    | 3.0   | 391                | 1601               |

-L7



| H(m) | φ (m) | lux med.<br>3000 K | lux max.<br>3000 K |
|------|-------|--------------------|--------------------|
| 5    | 14.8  | 16                 | 64                 |
| 4    | 11.9  | 24                 | 100                |
| 3    | 8.9   | 43                 | 178                |
| 2    | 5.9   | 98                 | 400                |
| 1    | 3.0   | 391                | 1601               |

-L3



| H(m) | φ (m) | lux med.<br>3000 K | lux max.<br>3000 K |
|------|-------|--------------------|--------------------|
| 5    | 14.8  | 16                 | 64                 |
| 4    | 11.9  | 24                 | 100                |
| 3    | 8.9   | 43                 | 178                |
| 2    | 5.9   | 98                 | 400                |
| 1    | 3.0   | 391                | 1601               |

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.byiba.com](http://www.byiba.com)

1 877-964-4646