



FLY  
(pendant)

BY-CEC7163603-GL-PN

PROJECT

SPEC TYPE

NOTES



#### GENERAL INFORMATION:

The FLY Pendant embodies motion and grace, inspired by the elegant silhouette of a bird in flight. Its sculptural form adds a sense of lightness and movement to any interior, making it an ideal focal point for modern residential and commercial spaces. Crafted from metal and acrylic, the fixture combines smooth curves with precision engineering, resulting in a sleek and contemporary statement piece. Designed with integrated LED technology, the FLY Pendant delivers efficient, evenly diffused illumination while maintaining a refined minimal aesthetic. Its dynamic shape and multiple size options make it perfect for creating layered lighting compositions over dining areas, lobbies, or creative workspaces.

#### MATERIAL:

Metal, acrylic

#### FINISHING:

White, black, chrome

#### LIGHTING:

LED

#### INPUT VOLTAGE:

110-277V

#### IP RATING:

IP20

#### DRIVER POSITION:

Integral

#### INSULATION CLASS:

I

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)


[www.byiba.com](http://www.byiba.com)

1 877-964-4646


PROJECT

SPEC TYPE


NOTES



Type A



Type B



Type C

## HOW TO ORDER:

CODE:

Example:  
CODE: BY-CEC7163603-GL-PN-F-A-DIM-24

BY-CEC7163603-  
GL-PN-F-A-  
DIM-24

## 1 MODELS:

- F-A L: 12.59" (32 cm) x H: 4,33" (11 cm)
- F-B L: 15.74" (40 cm) x H: 1,96" (5 cm)
- F-C L: 13.77" (35 cm) x H: 2.36" (6 cm)

## 2 LIGHT SOURCE:

LED / 3W / 110-277V / 3000K / CRI 90

## 3 DIMMING OPTIONS:

- DIM 0-10V
- DALI DALI
- LT Lutron
- CS Casambi
- WF WI-FI
- NON Non-Dimmable

## 4 FINISH OPTIONS:

- 24 White
- 35 Black
- 98 Chrome

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646